According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.25.2018

Clear Epoxy Resin - Part A

### **SECTION 1: Identification**

### **Product identifier**

**Product name:** Clear Epoxy Resin - Part A **Product code:** 50101, 50112, 50114, 50114H, 50132, 50240, 50240H

# Recommended use of the product and restriction on use

Relevant identified uses: Adhesive Part A Uses advised against: Not determined or not applicable. Reasons why uses advised against: Not determined or not applicable.

# Manufacturer or supplier details

# Manufacturer:

United States J-B Weld Company, LLC 400 CMH Road Sulphur Springs, TX 75482 903-885-7696 info@jbweld.com

# **Emergency telephone number:**

United States InfoTrac Transportation Emergencies (24 hour): 800-535-5053 Poison Control Centers (24 hour): medical emergencies 800-222-1222

# SECTION 2: Hazard(s) identification

# GHS classification:

Skin irritation, category 2 Eye irritation, category 2A Skin sensitization, category 1

# Label elements

### **Hazard pictograms:**



Signal word: Warning

### Hazard statements:

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

### **Precautionary statements:**

P264 Wash skin and eyes thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.



Page 1 of 10

# According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

# Initial preparation date: 07.25.2018

### Clear Epoxy Resin - Part A

P321 Specific treatment (see supplemental first aid instructions on this label).

P362 Take off contaminated clothing and wash before reuse

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P332+P313 If skin irritation occurs: Get medical advice/attention

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists get medical advice/attention

P363 Wash contaminated clothing before reuse

P333+P313 If skin irritation or a rash occurs: Get medical advice/attention

P501 Dispose of contents/container in accordance with local regulations.

### Hazards not otherwise classified: None

# **SECTION 3: Composition/information on ingredients**

Identification	Name	Weight %
CAS number: 3101-60-8	P-tert-butylphenyl 1-(2,3-epoxy)propyl ether	<5
CAS number: 25068-38-6	Epoxy Resin	<98

### Additional Information:

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of the OSHA Hazard Communication Standard (29 CFR §1910.1200).

### **SECTION 4: First aid measures**

### **Description of first aid measures**

### **General notes:**

Not determined or not applicable.

### After inhalation:

Loosen clothing as necessary and position individual in a comfortable position Maintain an unobstructed airway

Get medical advice/attention if you feel unwell

# After skin contact:

Rinse affected area with soap and water If symptoms develop or persist, seek medical attention Take off all contaminated clothing Gently blot or brush away excess product Wash with plenty of lukewarm, gently flowing water Get medical advice if skin irritation occurs or you feel unwell

### After eye contact:

Rinse/flush exposed eye(s) gently using water for 15-20 minutes

If symptoms develop or persist, seek medical attention

Rinse eyes cautiously with lukewarm, gently flowing water for several minutes, while holding the eyelids open

Remove contact lenses, if present and easy to do so

Continue rinsing for 15-20 minutes

Get medical advice if eye irritation persists

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.25.2018

Clear Epoxy Resin - Part A

### After swallowing:

Rinse mouth thoroughly Seek medical attention if irritation, discomfort, or vomiting persists

### Most important symptoms and effects, both acute and delayed

Acute symptoms and effects:

Not determined or not applicable.

### **Delayed symptoms and effects:**

Not determined or not applicable.

### Immediate medical attention and special treatment

### Specific treatment:

Not determined or not applicable.

### Notes for the doctor:

Not determined or not applicable.

### **SECTION 5: Firefighting measures**

#### Extinguishing media

### Suitable extinguishing media:

Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition

#### Unsuitable extinguishing media:

Not determined or not applicable.

### Specific hazards during fire-fighting:

Thermal decomposition can lead to release of irritating gases and vapors

### Special protective equipment for firefighters:

Use typical firefighting equipment, self-contained breathing apparatus, special tightly sealed suit

### Special precautions:

Not determined or not applicable.

### **SECTION 6: Accidental release measures**

### Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation Ensure air handling systems are operational Wear protective eye wear, gloves and clothing

#### **Environmental precautions:**

Should not be released into the environment Prevent from reaching drains, sewer or waterway

### Methods and material for containment and cleaning up:

Wear protective eye wear, gloves and clothing

Absorb with non-combustible liquid-binding material (sand, diatomaceus earth (clay), acid binders, universal binders)

Dispose of contents / container in accordance with local regulations

#### **Reference to other sections:**

Not determined or not applicable.

### **SECTION 7: Handling and storage**

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.25.2018

Clear Epoxy Resin - Part A

# Precautions for safe handling:

Use only with adequate ventilation.

Avoid breathing mist or vapor.

Do not eat, drink, smoke or use personal products when handling chemical substances.

### Conditions for safe storage, including any incompatibilities:

Keep container tightly sealed.

Protect from freezing and physical damage.

Store in a cool, well-ventilated area.

### **SECTION 8: Exposure controls/personal protection**

Only those substances with limit values have been included below.

### **Occupational Exposure limit values:**

No occupational exposure limits noted for the ingredient(s).

### **Biological limit values:**

No biological exposure limits noted for the ingredient(s).

### Information on monitoring procedures:

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. Biological monitoring may also be appropriate for some substances.

### Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.

### Personal protection equipment

# Eye and face protection:

Safety goggles or glasses, or appropriate eye protection.

### Skin and body protection:

Select glove material impermeable and resistant to the substance.

Wear appropriate clothing to prevent any possibility of skin contact.

### **Respiratory protection:**

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

### General hygienic measures:

Avoid contact with skin, eyes and clothing. Wash hands before breaks and at the end of work. Wash contaminated clothing before reuse.

### **SECTION 9: Physical and chemical properties**

# Information on basic physical and chemical properties

Appearance	Clear liquid
Odor	Not determined or not available.
Odor threshold	Not determined or not available.
рН	Not determined or not available.

# According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.25.2018

### Page 5 of 10

### **Clear Epoxy Resin - Part A**

Melting point/freezing point	Not determined or not available.
Initial boiling point/range	Not determined or not available.
Flash point (closed cup)	135°C (275°F)
Evaporation rate	Not determined or not available.
Flammability (solid, gas)	Not determined or not available.
Upper flammability/explosive limit	Not determined or not available.
Lower flammability/explosive limit	Not determined or not available.
Vapor pressure	Not determined or not available.
Vapor density	Not determined or not available.
Density	1.15 g/cm <sup>3</sup>
Relative density	Not determined or not available.
Solubilities	Not determined or not available.
Partition coefficient (n-octanol/water)	Not determined or not available.
Auto/Self-ignition temperature	Not determined or not available.
Decomposition temperature	Not determined or not available.
Dynamic viscosity	Not determined or not available.
Kinematic viscosity	Not determined or not available.
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

### **Other information**

# **SECTION 10: Stability and reactivity**

### **Reactivity:**

Does not react under normal conditions of use and storage.

### **Chemical stability:**

Stable under normal conditions of use and storage.

### Possibility of hazardous reactions:

None under normal conditions of use and storage.

### **Conditions to avoid:**

None known.

# Incompatible materials:

None known.

### Hazardous decomposition products:

None known.

### **SECTION 11: Toxicological information**

### Acute toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

# Substance data: No data available.

### Skin corrosion/irritation

#### Assessment:

Causes skin irritation

# According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.25.2018

**Clear Epoxy Resin - Part A** 

# Product data:

No data available.

### Substance data:

Name	Result
Epoxy Resin	Causes skin irritation.
P-tert-butylphenyl 1-(2,3- epoxy)propyl ether	Causes skin irritation

### Serious eye damage/irritation

### Assessment:

Causes serious eye irritation

### Product data:

No data available.

### Substance data:

Name	Result
Epoxy Resin	Causes serious eye irritation.
P-tert-butylphenyl 1-(2,3- epoxy)propyl ether	Causes serious eye damage

### Respiratory or skin sensitization

Assessment:

May cause an allergic skin reaction

# **Product data:**

No data available.

### Substance data:

Name	Result
Epoxy Resin	May cause an allergic skin reaction.
P-tert-butylphenyl 1-(2,3- epoxy)propyl ether	Result : May cause sensitisation by skin contact.

### Carcinogenicity

**Assessment:** Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

International Agency for Research on Cancer (IARC): None of the ingredients are listed.

National Toxicology Program (NTP): None of the ingredients are listed.

### Germ cell mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

# **Reproductive toxicity**

Assessment: Based on available data, the classification criteria are not met.

### Product data:

No data available.

Substance data: No data available.

Specific target organ toxicity (single exposure)

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.25.2018

### Clear Epoxy Resin - Part A

Assessment: Based on available data, the classification criteria are not met.
Product data:
No data available.
Substance data: No data available.
Specific target organ toxicity (repeated exposure)
Assessment: Based on available data, the classification criteria are not met.
Product data:
No data available.
Substance data: No data available.
Aspiration toxicity
Assessment: Based on available data, the classification criteria are not met.
Product data:
No data available.
Substance data: No data available.
Information on likely routes of exposure:
No data available.
Symptoms related to the physical, chemical and toxicological characteristics:
No data available.
Other information:

No data available.

### **SECTION 12: Ecological information**

### Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

### Substance data:

Name	Result	
Epoxy Resin	EC50 - Scenedesmus capricornutum - 9 mg/L - 48 h	

# Chronic (long-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

**Product data:** No data available.

Substance data: No data available.

### Persistence and degradability

Product data: No data available. Substance data: No data available.

### **Bioaccumulative potential**

Product data: No data available.

Substance data: No data available.

### Mobility in soil

Product data: No data available.

Substance data: No data available.

Other adverse effects: No data available.

# **SECTION 13: Disposal considerations**

### **Disposal methods:**

It is the responsibility of the waste generator to properly characterize all waste materials according to

# According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.25.2018

Clear Epoxy Resin - Part A

applicable regulatory entities

# **SECTION 14: Transport information**

# United States Transportation of dangerous goods (49 CFR DOT)

UN number	Not Regulated
UN proper shipping name	Not Regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

# International Maritime Dangerous Goods (IMDG)

UN number	UN 3082
UN proper shipping name	Environmentally hazardous substance, liquid, N.O.S. (Phenol, 4,4'- (1-methylethylidene)bis-, polymer with 2-(chloromethyl)oxiran, P- tert-butylphenyl 1-(2,3-epoxy)propyl ether)
UN transport hazard class(es)	9
Packing group	III
Environmental hazards	Marine Pollutant
Special precautions for user	None
EmS number	F-A, S-F
Stowage category	A
Excepted quantities	E1
Limited quantity	5L

# International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	UN 3082
UN proper shipping name	Environmentally hazardous substance, liquid, N.O.S. (Phenol, 4,4'- (1-methylethylidene)bis-, polymer with 2-(chloromethyl)oxiran, P- tert-butylphenyl 1-(2,3-epoxy)propyl ether)
UN transport hazard class(es)	9
Packing group	
Environmental hazards	Marine Pollutant
Special precautions for user	None
ERG code	9L
Excepted quantities	E1
Passenger and cargo	450L
Cargo aircraft only	450L
Limited quantity	30 Kg G

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.25.2018

Page 9 of 10

### Clear Epoxy Resin - Part A

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	
Bulk Name	None
Ship type	None
Pollution category	None

### **SECTION 15: Regulatory information**

### **United States regulations**

Inventory listing (TSCA):

25068-38-6	Epoxy Resin	Listed
3101-60-8	P-tert-butylphenyl 1-(2,3-epoxy)propyl ether	Listed

Significant New Use Rule (TSCA Section 5): Not determined.

Export notification under TSCA Section 12(b): Not determined.

SARA Section 302 extremely hazardous substances: Not determined.

# SARA Section 313 toxic chemicals:

25068-38-6	Epoxy Resin	Not Listed
3101-60-8	P-tert-butylphenyl 1-(2,3-epoxy)propyl ether	Not Listed

**CERCLA:** Not determined.

**RCRA:** Not determined.

# Section 112(r) of the Clean Air Act (CAA): Not determined.

### Massachusetts Right to Know:

25068-38-6		Not Listed
3101-60-8	P-tert-butylphenyl 1-(2,3-epoxy)propyl ether	Not Listed

### New Jersey Right to Know:

25068-38-6	Epoxy Resin	Not Listed
3101-60-8	P-tert-butylphenyl 1-(2,3-epoxy)propyl ether	Not Listed

# New York Right to Know:

25068-38-6	Epoxy Resin	Not Listed
3101-60-8	P-tert-butylphenyl 1-(2,3-epoxy)propyl ether	Not Listed

### Pennsylvania Right to Know:

25068-38-6	Not Listed
3101-60-8	Not Listed

California Proposition 65: None of the ingredients are listed.

### **SECTION 16: Other information**

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.25.2018

Page 10 of 10

### Clear Epoxy Resin - Part A

# Abbreviations and Acronyms: None

# **Disclaimer:**

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

### NFPA: 2-0-0 HMIS: 2-0-0

Initial preparation date: 07.25.2018

# End of Safety Data Sheet

### Generated using Total SDS™ (patent-pending), www.GSMSDS.com

### Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.25.2018

# **One Minute Epoxy Hardener - Syringe - Part B**

### **SECTION 1: Identification**

#### **Product identifier**

**Product name:** One Minute Epoxy Hardener - Syringe - Part B **Product code:** 50101

### Recommended use of the product and restriction on use Relevant identified uses: Not determined or not applicable.

Uses advised against: Not determined or not applicable. Reasons why uses advised against: Not determined or not applicable.

### Manufacturer or supplier details

# Manufacturer:

United States J-B Weld Company, LLC 400 CMH Road Sulphur Springs, TX 75482 903-885-7696 info@jbweld.com

### **Emergency telephone number:**

United States InfoTrac Transportation Emergencies (24 hour): 800-535-5053 Poison Control Centers (24 hour): medical emergencies 800-222-1222

# SECTION 2: Hazard(s) identification

# GHS classification:

Flammable liquids, category 4 Skin corrosion, category 1B Serious eye damage, category 1 Skin sensitization, category 1

### Label elements

#### Hazard pictograms:



### Signal word: Danger

#### Hazard statements:

H227 Combustible liquid.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

#### **Precautionary statements:**

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P280 Wear protective gloves/protective clothing/eye protection/face protection.



# According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.25.2018

# One Minute Epoxy Hardener - Syringe - Part B

P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P264 Wash skin and eyes thoroughly after handling.
P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
P272 Contaminated work clothing should not be allowed out of the workplace.
P370+P378 In case of fire: Use agents recommended in section 5 for extinction.
P310 Immediately call a POISON CENTER or doctor/physician.
P321 Specific treatment (see supplemental first aid instructions on this label).
P363 Wash contaminated clothing before reuse
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P333+P313 If skin irritation or a rash occurs: Get medical advice/attention

P403 Store in a well ventilated place.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local regulations.

# Hazards not otherwise classified: None

### **SECTION 3: Composition/information on ingredients**

Identification	Name	Weight %
CAS number: 112-24-3	Triethylenetetramine	
CAS number: 100-51-6	Benzyl Alcohol	<5
CAS number: 72244-98-5	Poly(oxy(methyl-1,2-ethanediyl)), alpha-hydro-omega-hydroxy-, ether with 2,2-bis(hydroxymethyl)-1,3-propanediol (4:1), 2-hydroxy-3-mercaptopropyl ether	<90
CAS number: 140-31-8	1-Piperazineethanamine	<2
CAS number: 25620-58-0	1,6-Hexanediamine, C,C,C-trimethyl-	
CAS number: 39423-51-3	Propylidynetrimethanol, propoxylated, reaction products with ammonia	<5
CAS number: 3033-62-3	N,N,N',N'-tetramethyl-2,2'-oxybis(ethylamine)	<5
CAS number: 919-30-2	3-aminopropyltriethoxysilane	<2
CAS number: 6674-22-2	1,8-diazabicyclo[5.4.0]undec-7-ene	<1

### Additional Information:

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.25.2018

### **One Minute Epoxy Hardener - Syringe - Part B**

a trade secret in accordance with paragraph (i) of the OSHA Hazard Communication Standard (29 CFR §1910.1200).

### **SECTION 4: First aid measures**

### **Description of first aid measures**

### **General notes:**

Not determined or not applicable.

### After inhalation:

Loosen clothing as necessary and position individual in a comfortable position Maintain an unobstructed airway Get medical advice/attention if you feel unwell Take precautions to ensure your own safety Remove source of exposure or move person to fresh air and keep comfortable for breathing Immediately call a POISON CONTROL CENTER or seek medical attention If breathing has stopped, trained personnel should begin rescue breathing Avoid mouth-to-mouth contact by using a barrier device If the heart has stopped, immediately start cardiopulmonary resuscitation (CPR)

# After skin contact:

Rinse affected area with soap and water If symptoms develop or persist, seek medical attention Avoid direct contact and wear chemical protective clothing, if necessary Immediately take off all contaminated clothing Gently blot or brush away excess product Rinse skin with lukewarm, gently flowing water until medical aid is available Immediately call a POISON CONTROL CENTER or seek medical attention Wash contaminated clothing before re-use or discard

# After eye contact:

Rinse/flush exposed eye(s) gently using water for 15-20 minutes If symptoms develop or persist, seek medical attention Avoid direct contact and wear chemical protective gloves, if necessary Rinse eyes cautiously with lukewarm, gently flowing water for several minutes, while holding the eyelids open Remove contact lenses, if present and easy to do so Continue rinsing until medical aid is available Immediately call a POISON CONTROL CENTER or seek medical attention

# After swallowing:

Rinse mouth thoroughly

Seek medical attention if irritation, discomfort, or vomiting persists Immediately call a POISON CONTROL CENTER or seek medical attention Do not induce vomiting and rinse mouth If vomiting occurs naturally, lie on your side, in the recovery position If breathing has stopped, trained personnel should begin rescue breathing Avoid mouth-to-mouth contact by using a barrier device If the heart has stopped, immediately start cardiopulmonary resuscitation (CPR)

# Most important symptoms and effects, both acute and delayed

# Acute symptoms and effects:

Not determined or not applicable.

# **Delayed symptoms and effects:**

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.25.2018

# One Minute Epoxy Hardener - Syringe - Part B

Not determined or not applicable.

# Immediate medical attention and special treatment

### Specific treatment:

Not determined or not applicable.

### Notes for the doctor:

Not determined or not applicable.

# **SECTION 5: Firefighting measures**

### **Extinguishing media**

### Suitable extinguishing media:

Use Water (fog only), dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam

### Unsuitable extinguishing media:

Not determined or not applicable.

# Specific hazards during fire-fighting:

Thermal decomposition can lead to release of irritating gases and vapors

### Special protective equipment for firefighters:

Use typical firefighting equipment, self-contained breathing apparatus, special tightly sealed suit

### **Special precautions:**

Shut off sources of ignition Carbon monoxide and carbon dioxide may form upon combustion Heating causes a rise in pressure, risk of bursting and combustion

### **SECTION 6: Accidental release measures**

### Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation Ensure air handling systems are operational Wear protective eye wear, gloves and clothing

### **Environmental precautions:**

Should not be released into the environment Prevent from reaching drains, sewer or waterway

### Methods and material for containment and cleaning up:

Wear protective eye wear, gloves and clothing

Use spark-proof tools and explosion-proof equipment

Absorb with non-combustible liquid-binding material (sand, diatomaceus earth (clay), acid binders, universal binders)

Dispose of contents / container in accordance with local regulations

### **Reference to other sections:**

Not determined or not applicable.

# **SECTION 7: Handling and storage**

### Precautions for safe handling:

Use only with adequate ventilation.

Avoid breathing mist or vapor.

Do not eat, drink, smoke or use personal products when handling chemical substances.

Take precautionary measures against electrostatic discharges.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.25.2018

# One Minute Epoxy Hardener - Syringe - Part B

Use only non-sparking tools.

# Conditions for safe storage, including any incompatibilities:

Keep container tightly sealed.

Protect from freezing and physical damage.

Store in a cool, well-ventilated area.

Store away from all ignition sources (open flames, hot surfaces, direct sunlight, spark sources).

### SECTION 8: Exposure controls/personal protection

Only those substances with limit values have been included below.

### **Occupational Exposure limit values:**

Country (Legal Basis)	Substance	Identifier	Permissible concentration
WEEL Benzyl Alcohol 100-51-6 WEEl		WEEL TWA 10.0 ppm	
	Triethylenetetramine	112-24-3	WEEL TWA 1.0 ppm
ACGIH	N,N,N',N'-tetramethyl-2,2'-oxybis(ethylamine)	3033-62-3	ACGIH TLV TWA 0.05 ppm
	N,N,N',N'-tetramethyl-2,2'-oxybis(ethylamine)	3033-62-3	ACGIH TLV STEL 0.15 ppm

### Biological limit values:

No biological exposure limits noted for the ingredient(s).

# Information on monitoring procedures:

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. Biological monitoring may also be appropriate for some substances.

### Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above. Use explosion-proof ventilation equipment.

### Personal protection equipment

# Eye and face protection:

Safety goggles or glasses, or appropriate eye protection.

### Skin and body protection:

Select glove material impermeable and resistant to the substance.

Wear appropriate clothing to prevent any possibility of skin contact.

### **Respiratory protection:**

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

### General hygienic measures:

Avoid contact with skin, eyes and clothing. Wash hands before breaks and at the end of work. Wash contaminated clothing before reuse.

### SECTION 9: Physical and chemical properties

# Information on basic physical and chemical properties

# According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.25.2018

Solubilities

# **One Minute Epoxy Hardener - Syringe - Part B**

Appearance	Clear liquid
Odor	Not available
Odor threshold	Not available
рН	Not available
Melting point/freezing point	Not available
Initial boiling point/range	Not available
Flash point (closed cup)	67°C (153°F)
Evaporation rate	Not available
Flammability (solid, gas)	Not available
Upper flammability/explosive limit	Not available
Lower flammability/explosive limit	Not available
Vapor pressure	Not available
Vapor density	Not available
Density	1.123 g/cm <sup>3</sup>
Relative density	Not available

Not determined or not available.

Not available

# Other information

# **SECTION 10: Stability and reactivity**

Partition coefficient (n-octanol/water)

Auto/Self-ignition temperature

**Decomposition temperature** 

**Dynamic viscosity** 

**Kinematic viscosity** 

**Explosive properties** 

**Oxidizing properties** 

### **Reactivity:**

Does not react under normal conditions of use and storage.

# **Chemical stability:**

Stable under normal conditions of use and storage.

### Possibility of hazardous reactions:

None under normal conditions of use and storage.

# Conditions to avoid:

None known.

### Incompatible materials:

None known.

### Hazardous decomposition products:

None known.

### **SECTION 11: Toxicological information**

### Acute toxicity

Assessment: Based on available data, the classification criteria are not met.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.25.2018

Page 7 of 13

One Minute Epoxy Hardener - Syringe - Part B

# Product data: No data available.

# Substance data:

Name	Route	Result
Benzyl Alcohol	inhalation	LC50 Rat: 4.178 mg/L (4 hr)
	oral	LD50 Rabbit: 1,040 mg/kg
1-Piperazineethanamine	oral	LD50 - Chicken - 1,500 mg/kg
Propylidynetrimethanol, propoxylated, reaction	oral	LD50 - Rat - 550 mg/kg
products with ammonia	dermal	LD50 - Rat - > 1,000 mg/kg
N,N,N',N'-tetramethyl-2,2'-	oral	LD50 - Rat - 571 mg/kg
oxybis(ethylamine)	inhalation	LC50 - Rat - 4.0 mg/L - 4 h (aerosol)
	dermal	LD50 - Rabbit - 750 mg/kg
1,8-diazabicyclo[5.4.0]undec-7- ene	oral	LD50 - Rat - 251 - <300 mg/kg
3-aminopropyltriethoxysilane	oral	LD50 Rat: 1780 mg/kg

# Skin corrosion/irritation

### Assessment:

Causes severe skin burns and eye damage

Product data:

No data available.

### Substance data:

Name	Result
1-Piperazineethanamine	Corrosive to the skin.
1,6-Hexanediamine, C,C,C- trimethyl-	Causes skin burns
Triethylenetetramine	Causes severe skin burns and eye damage.
N,N,N',N'-tetramethyl-2,2'- oxybis(ethylamine)	Corrosive to the skin.
1,8-diazabicyclo[5.4.0]undec-7- ene	Corrosive to the skin.
3-aminopropyltriethoxysilane	Causes severe skin burns and eye damage.

# Serious eye damage/irritation

### Assessment:

Causes serious eye damage

### Product data:

No data available.

# Substance data:

Name	Result
Propylidynetrimethanol, propoxylated, reaction products with ammonia	Corrosive to the eyes.
N,N,N',N'-tetramethyl-2,2'- oxybis(ethylamine)	Corrosive effect on the eyes.

# According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

### Initial preparation date: 07.25.2018

# One Minute Epoxy Hardener - Syringe - Part B

Name	Result
1,8-diazabicyclo[5.4.0]undec-7- ene	Corrosive effect on the eyes.

### **Respiratory or skin sensitization**

### Assessment:

May cause an allergic skin reaction

# Product data:

No data available.

# Substance data:

Name	Result
Poly(oxy(methyl-1,2- ethanediyl)), alpha-hydro- omega-hydroxy-, ether with 2,2-bis(hydroxymethyl)-1,3- propanediol (4:1), 2-hydroxy-3- mercaptopropyl ether	May cause an allergic skin reaction.
1-Piperazineethanamine	Sensitization possible through skin contact.
1,6-Hexanediamine, C,C,C- trimethyl-	Sensitization possible through skin contact.
Triethylenetetramine	May cause an allergic skin reaction.

# Carcinogenicity

**Assessment:** Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

International Agency for Research on Cancer (IARC): None of the ingredients are listed. National Toxicology Program (NTP): None of the ingredients are listed.

### Germ cell mutagenicity

Assessment: Based on available data, the classification criteria are not met.

### Product data:

No data available.

Substance data: No data available.

### **Reproductive toxicity**

Assessment: Based on available data, the classification criteria are not met.

### Product data:

No data available.

Substance data: No data available.

### Specific target organ toxicity (single exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

### Specific target organ toxicity (repeated exposure)

Assessment: Based on available data, the classification criteria are not met.

### Product data:

No data available.

Substance data: No data available.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.25.2018

# **One Minute Epoxy Hardener - Syringe - Part B**

Aspiration toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** 

No data available.

Substance data: No data available.

# Information on likely routes of exposure:

No data available.

Symptoms related to the physical, chemical and toxicological characteristics:

- No data available.
- **Other information:**

No data available.

# **SECTION 12: Ecological information**

# Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

# Substance data:

Name	Result
Triethylenetetramine	LC50 - Daphnia magna (Water flea) - 33.9 mg/L - 48 h
Propylidynetrimethanol, propoxylated, reaction products with ammonia	EC50 - Pseudokirchnerella subcapitata - 4.4 mg/L - 72 h

### Chronic (long-term) toxicity

**Assessment:** Based on available data, the classification criteria are not met.

### Product data: No data available.

# Substance data:

Name	Result
Poly(oxy(methyl-1,2- ethanediyl)), alpha-hydro- omega-hydroxy-, ether with 2,2-bis(hydroxymethyl)-1,3- propanediol (4:1), 2-hydroxy-3- mercaptopropyl ether	NOEC - Daphnia magna (Water flea) - 3.5 mg/L - 21 d

### Persistence and degradability

Product data: No data available. Substance data: No data available.

# Bioaccumulative potential

Product data: No data available.

Substance data: No data available.

# Mobility in soil

Product data: No data available.

Substance data: No data available.

Other adverse effects: No data available.

### **SECTION 13: Disposal considerations**

# **Disposal methods:**

It is the responsibility of the waste generator to properly characterize all waste materials according to

# According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.25.2018

Page 10 of 13

# One Minute Epoxy Hardener - Syringe - Part B

applicable regulatory entities

# **SECTION 14: Transport information**

# United States Transportation of dangerous goods (49 CFR DOT)

UN number	UN 1760	
UN proper shipping name	Corrosive Liquid, N.O.S. (1,6-Hexanediamine, C,C,C-trimethyl-, Triethylenetetramine)	
UN transport hazard class(es)	8	
Packing group	II	
Environmental hazards	None	
Special precautions for user	None	

# International Maritime Dangerous Goods (IMDG)

UN number	UN 1760	
UN proper shipping name	Corrosive Liquid, N.O.S. (1,6-Hexanediamine, C,C,C-trimethyl-, Triethylenetetramine)	
UN transport hazard class(es)	8	
Packing group	II	
Environmental hazards	None	
Special precautions for user	None	

# International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	UN 1760	
UN proper shipping name	Corrosive Liquid, N.O.S. (1,6-Hexanediamine, C,C,C-trimethyl-, Triethylenetetramine)	
UN transport hazard class(es)	8	
Packing group	Ш	
Environmental hazards	None	
Special precautions for user	None	

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code		
Bulk Name	None	
Ship type	None	
Pollution category	None	

# SECTION 15: Regulatory information

# United States regulations Inventory listing (TSCA):

# According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.25.2018

# One Minute Epoxy Hardener - Syringe - Part B

72244-98-5	Poly(oxy(methyl-1,2-ethanediyl)), alpha-hydro-omega-hydroxy-, ether with 2,2-bis(hydroxymethyl)-1,3-propanediol (4:1), 2-hydroxy-3- mercaptopropyl ether	Listed
100-51-6	Benzyl Alcohol	Listed
140-31-8	1-Piperazineethanamine	Listed
25620-58-0	1,6-Hexanediamine, C,C,C-trimethyl-	Listed
112-24-3	Triethylenetetramine	Listed
39423-51-3	Propylidynetrimethanol, propoxylated, reaction products with ammonia	Listed
3033-62-3	N,N,N',N'-tetramethyl-2,2'-oxybis(ethylamine)	Listed
6674-22-2	1,8-diazabicyclo[5.4.0]undec-7-ene	Listed
919-30-2	3-aminopropyltriethoxysilane	Listed

Significant New Use Rule (TSCA Section 5): Not determined.

Export notification under TSCA Section 12(b): Not determined.

SARA Section 302 extremely hazardous substances: Not determined.

# SARA Section 313 toxic chemicals:

72244-98-5	Poly(oxy(methyl-1,2-ethanediyl)), alpha-hydro-omega-hydroxy-, ether with 2,2-bis(hydroxymethyl)-1,3-propanediol (4:1), 2-hydroxy-3- mercaptopropyl ether	Not Listed
100-51-6	Benzyl Alcohol	Not Listed
140-31-8	1-Piperazineethanamine	Not Listed
25620-58-0	1,6-Hexanediamine, C,C,C-trimethyl-	Not Listed
112-24-3	Triethylenetetramine	Not Listed
39423-51-3	Propylidynetrimethanol, propoxylated, reaction products with ammonia	Not Listed
3033-62-3	N,N,N',N'-tetramethyl-2,2'-oxybis(ethylamine)	Not Listed
6674-22-2	1,8-diazabicyclo[5.4.0]undec-7-ene	Not Listed
919-30-2	3-aminopropyltriethoxysilane	Not Listed

**CERCLA:** Not determined.

RCRA: Not determined.

# Section 112(r) of the Clean Air Act (CAA): Not determined.

# Massachusetts Right to Know:

72244-98-5	Poly(oxy(methyl-1,2-ethanediyl)), alpha-hydro-omega-hydroxy-, ether with 2,2-bis(hydroxymethyl)-1,3-propanediol (4:1), 2-hydroxy-3- mercaptopropyl ether	Not Listed
100-51-6	Benzyl Alcohol	Listed
140-31-8	1-Piperazineethanamine	Listed
25620-58-0	1,6-Hexanediamine, C,C,C-trimethyl-	Not Listed
112-24-3	Triethylenetetramine	Listed

# According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.25.2018

# One Minute Epoxy Hardener - Syringe - Part B

39423-51-3	Propylidynetrimethanol, propoxylated, reaction products with ammonia	Not Listed
3033-62-3	N,N,N',N'-tetramethyl-2,2'-oxybis(ethylamine)	Not Listed
6674-22-2	1,8-diazabicyclo[5.4.0]undec-7-ene	Not Listed
919-30-2	3-aminopropyltriethoxysilane	Not Listed

# New Jersey Right to Know:

m jersey night to h		
72244-98-5	Poly(oxy(methyl-1,2-ethanediyl)), alpha-hydro-omega-hydroxy-, ether with 2,2-bis(hydroxymethyl)-1,3-propanediol (4:1), 2-hydroxy-3- mercaptopropyl ether	Not Listed
100-51-6	Benzyl Alcohol	Not Listed
140-31-8	1-Piperazineethanamine	Listed
25620-58-0	1,6-Hexanediamine, C,C,C-trimethyl-	Listed
112-24-3	Triethylenetetramine	Listed
39423-51-3	Propylidynetrimethanol, propoxylated, reaction products with ammonia	Not Listed
3033-62-3	N,N,N',N'-tetramethyl-2,2'-oxybis(ethylamine)	Listed
6674-22-2	1,8-diazabicyclo[5.4.0]undec-7-ene	Not Listed
919-30-2	3-aminopropyltriethoxysilane	Not Listed

# New York Right to Know:

72244-98-5	Poly(oxy(methyl-1,2-ethanediyl)), alpha-hydro-omega-hydroxy-, ether with 2,2-bis(hydroxymethyl)-1,3-propanediol (4:1), 2-hydroxy-3-mercaptopropyl ether	Not Listed
100-51-6	Benzyl Alcohol	Not Listed
140-31-8	1-Piperazineethanamine	Listed
25620-58-0	1,6-Hexanediamine, C,C,C-trimethyl-	Listed
112-24-3	Triethylenetetramine	Listed
39423-51-3	Propylidynetrimethanol, propoxylated, reaction products with ammonia	Not Listed
3033-62-3	N,N,N',N'-tetramethyl-2,2'-oxybis(ethylamine)	Not Listed
6674-22-2	1,8-diazabicyclo[5.4.0]undec-7-ene	Not Listed
919-30-2	3-aminopropyltriethoxysilane	Not Listed

# Pennsylvania Right to Know:

		Not Listed
100-51-6	Benzyl Alcohol	Listed

# According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.25.2018

Page 13 of 13

**One Minute Epoxy Hardener - Syringe - Part B** 

140-31-8	1-Piperazineethanamine	Listed
25620-58-0	1,6-Hexanediamine, C,C,C-trimethyl-	Not Listed
112-24-3	Triethylenetetramine	Listed
39423-51-3	Propylidynetrimethanol, propoxylated, reaction products with ammonia	Not Listed
3033-62-3	N,N,N',N'-tetramethyl-2,2'-oxybis(ethylamine)	Not Listed
6674-22-2	1,8-diazabicyclo[5.4.0]undec-7-ene	Not Listed
919-30-2	3-aminopropyltriethoxysilane	Not Listed

California Proposition 65: None of the ingredients are listed.

### **SECTION 16: Other information**

# Abbreviations and Acronyms: None Disclaimer:

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

NFPA: 3-1-0 HMIS: 3-1-0

Initial preparation date: 07.25.2018

# **End of Safety Data Sheet**