



Together, we are brighter.

PROJECT: _____

TYPE: _____

CAT #: _____


DESCRIPTION

Micro, Integrated Variable - LumienPROdim, Brass - Antique, 4.5W, 150 Lm, AMBER, 40°, 10-15V

SPECIFICATIONS


Construction	Brass
Finish	Antique
Lead Wire	6'
Voltage	10-15V
Light Warranty	10 Years
Housing Warranty	10 Years

FINISHES



NOTES

MOB1-4.5W-AMBR-A



Lumien Lighting

770-485-9002
 orders@lumienlighting.com
 www.lumienlighting.com

Lumien Lighting reserves the right to modify product specifications without notification. © 2023 Lumien Enterprise Inc.

MODULE TYPE (required)	WATTS	COLOR TEMP	BEAM SPREAD	FINISH	ACCESSORIES
---------------------------	-------	---------------	----------------	--------	-------------

M5B1-4.5W-AMBR A CORE: M4B1

<input type="checkbox"/>				
3.5W	2700K	40°	A	
5.5W	3000K	60°		

M5B1-4.5W-AMBR A PROdim: M5B1

<input type="checkbox"/>				
4.5W	AMBER	40°	A	

M5B1-4.5W-AMBR A PRO: M7B1

<input type="checkbox"/>				
4.5W	2700-5700K	40°	A	
		60°	BK	

M5B1-4.5W-AMBR A PRO: M8B1

<input type="checkbox"/>				
3W	2700K	40°	A	
	3000K		BK	

	CORE	CORE	PROdim	PRO
	M4B1-3.5W-27K-40-A M4B1-3.5W-27K-60-A M4B1-3.5W-30K-40-A M4B1-3.5W-30K-60-A	M4B1-5.5W-27K-40-A M4B1-5.5W-27K-60-A M4B1-5.5W-30K-40-A M4B1-5.5W-30K-60-A	M0B1-4.5W-AMBR-A	M7B1-4.5W-40-A M7B1-4.5W-40-BK M7B1-4.5W-60-A
Construction	Brass	Brass	Brass	Brass
Finish	Antique	Antique	Antique	Black, Antique
Input Voltage	10-15V	10-15V	10-15V	10-15V
Wattage (Volt Amps)	3.5W (5.59)	5.5W (8.66)	4.5W (6.98)	4.5W (6.12)
Module Lumens	316 Lm, 318 Lm, 327 Lm,	428 Lm, 420 Lm, 472 Lm,	150 Lm	317-352 Lm, 283-316 Lm
Color Temperature	2700K, 3000K	2700K, 3000K	AMBER	2700-5700K
Beam Spread	60°, 40°	40°, 60°	40°	40°, 60°
Lead Wire Length	6'	6'	6'	6'
CRI	80+	80+		80+
RGB	No	No		No
Dimmable	Primary Dimming	Primary Dimming	With LumienPRO Remote	With LumienPRO Remote
Rated Life	50,000 Hrs	50,000 Hrs	50,000 Hrs	50,000 Hrs
Warranty	10 Years	10 Years	10 Years	10 Years
Core Drill Size	-	-	-	-

PRO

M8B1-3W-27K-40-A
M8B1-3W-27K-40-BK
M8B1-3W-30K-40-A
M8B1-3W-30K-40-BK

Construction	Brass
Finish	Black, Antique
Input Voltage	10-15V
Wattage (Volt Amps)	3W (4.83)
Module Lumens	27K: 129 Lm, R: 57 Lm, G:
Color Temperature	2700K, 3000K
Beam Spread	40°
Lead Wire Length	6'
CRI	80+
RGB	Yes
Dimmable	With LumienPRO Remote
Rated Life	50,000 Hrs
Warranty	10 Years
Core Drill Size	-