


S3A1-3W-27K-BZ



PROJECT: _____

TYPE: _____

CAT #: _____

DESCRIPTION

Step, Integrated Non-Modular, Aluminum - Bronze, 5" Shielded, 3W, 54 Lm, 2700K, 10-15V

SPECIFICATIONS

Construction	Aluminum
Finish	Bronze
Lead Wire	6'
Voltage	10-15V
Mounting	Surface-Mount
Light Warranty	10 Years

FINISHES



Bronze

NOTES

Lumien Lighting

770-485-9002
orders@lumienlighting.com
www.lumienlighting.com

Lumien Lighting reserves the right to modify product specifications without notification. © 2023 Lumien Enterprise Inc.



ORDERING GUIDE

MODULE TYPE (required)	WATTS	COLOR TEMP	BEAM SPREAD	FINISH	ACCESSORIES
---------------------------	-------	---------------	----------------	--------	-------------

S3A1-3W-27K-BZ



CORE: S3A1

-

-

-

-

3W

2700K
3000K

80°

BZ



Additional Mounts - Junction Box (Optional)
LAP-004 Plastic, Step Light J-Box, 4.8"



MODULES

CORE

S3A1-3W-27K-BZ

S3A1-3W-30K-BZ

Construction	Aluminum
Finish	Bronze
Input Voltage	10-15V
Wattage (Volt Amps)	3W (4.34)
Module Lumens	54 Lm, 50 Lm
Color Temperature	2700K, 3000K
Beam Spread	80°
Lead Wire Length	6'
CRI	80+
RGB	No
Dimmable	No
Rated Life	50,000 Hrs
Warranty	10 Years
Core Drill Size	-

Additional Mounts - Junction Box**LAP-004**

Accessory, Plastic, Step
Light Junction Box, 4.8"