


M4B7-5.5W-30K-A



PROJECT: _____

TYPE: _____

CAT #: _____


DESCRIPTION

Step, Integrated Modular, Brass - Antique, Shell Enclosure, 5.5W, 319 Lm, 3000K, 10-15V

SPECIFICATIONS

Construction	Brass
Finish	Antique
Lead Wire	6'
Voltage	10-15V
Light Warranty	10 Years
Housing Warranty	Lifetime

FINISHES



NOTES

Lumien Lighting

770-485-9002
orders@lumienlighting.com
www.lumienlighting.com

Lumien Lighting reserves the right to modify product specifications without notification. © 2023 Lumien Enterprise Inc.



ORDERING GUIDE

MODULE TYPE (required)	WATTS	COLOR TEMP	BEAM SPREAD	FINISH	ACCESSORIES
---------------------------	-------	---------------	----------------	--------	-------------

M4B7-5.5W-30K-A



CORE: M4B7

-

-

-

-

5.5W

2700K
3000K

65°

A





MODULES

CORE

M4B7-5.5W-27K-A

M4B7-5.5W-30K-A

Construction	Brass
Finish	Antique
Input Voltage	10-15V
Wattage (Volt Amps)	5.5W (8.66)
Module Lumens	312 Lm, 319 Lm
Color Temperature	2700K, 3000K
Beam Spread	65°
Lead Wire Length	6'
CRI	80+
RGB	No
Dimmable	Primary Dimming
Rated Life	50,000 Hrs
Warranty	10 Years
Core Drill Size	-