

PROJECT: _____

TYPE: _____

CAT #: _____

DESCRIPTION

Directional, LumienPRO - RGBTW, Brass - Antique, Mega Brass Series Uplight (Includes 40° Optics), 23W, 2700-5700K: 1264-1510 Lm, R: 494 Lm, G: 875 Lm, B: 184 Lm, 10-15V

SPECIFICATIONS


Construction	Brass
Finish	Antique
Lead Wire	6'
Voltage	10-15V
Mounting	LAP-018
Light Warranty	10 Years
Housing Warranty	Lifetime

FINISHES



Antique

NOTES



Lumien Lighting

☎ 770-485-9002
 ✉ orders@lumienlighting.com
 🌐 www.lumienlighting.com

Lumien Lighting reserves the right to modify product specifications without notification. © 2023 Lumien Enterprise Inc.

MODULE TYPE (required)	WATTS	COLOR TEMP	BEAM SPREAD	FINISH	ACCESSORIES
---------------------------	-------	---------------	----------------	--------	-------------

D9B1-23W-A



PROdim: D6B1

<input type="text"/>	-	<input type="text"/>	-	<input type="text"/>	-	<input type="text"/>
23W		2700K 3000K		40°		A



D9B1-23W-A



PRO: D7B1

<input type="text"/>	-	<input type="text"/>	-	<input type="text"/>	-	<input type="text"/>
23W		2700-5700K		40°		A



D9B1-23W-A



PRO: D9B1

<input type="text"/>	-	<input type="text"/>	-	<input type="text"/>	-	<input type="text"/>
23W		2700-5700K		40°		A



Additional Mounts - Ground (Optional)

- LAP-001** Plastic, 1/2" Threaded 12" Spike
- LAP-005** Plastic, 1/2" Threaded 15" Commercial
- LAP-018** Plastic, 1/2" Threaded 8" Spike w/ ADJ
- LAS-002** Stainless Steel, Trident Stake, 12"
- LAS-002-6** Stainless Steel, Trident Stake, 6"

Miscellaneous Accessories - Lens (Optional)

- LAP-019** Plastic, Mega, 20° Optic Lens

Miscellaneous Accessories - Pro (Optional)

- LP-REMOTE** LumienPRO Remote

Secondary Mounts - Riser Accessories (Optional)

- LAB-049** Antiq Brass, 1/2" Threaded L-Mount
- LAB-050** Antiq Brass, 1/2" Threaded T-Mount

Secondary Mounts - Risers (Optional)

- LAB-051** Antiq Brass, 1/2" Threaded 8" Riser
- LAB-052** Antiq Brass, 1/2" Threaded 16" Riser
- LAB-053** Antiq Brass, 1/2" Threaded 24" Riser
- LAB-058** Antiq Brass, 1/2" Threaded 4" Riser
- LAB-188** Antiq Brass, Sub-Grade ADJ Riser, 1-12"

PROdim

PRO

PRO

	D6B1-23W-27K-A D6B1-23W-30K-A	D7B1-23W-A	D9B1-23W-A
Construction	Brass	Brass	Brass
Finish	Antique,	Antique	Antique
Input Voltage	10-15V	10-15V	10-15V
Wattage (Volt Amps)	23W (31.56)	23W (32.03)	23W (31.05)
Module Lumens	2206 Lm	1875-2108 Lm	27-57K: 1264-1510 Lm, R:
Color Temperature	2700K, 3000K	2700-5700K	2700-5700K
Beam Spread	40°	40°	40°
Lead Wire Length	6'	6'	6'
CRI	80+	80+	80+
RGB	No	No	Yes
Dimmable	Primary Dimming	With LumienPRO Remote	With LumienPRO Remote
Rated Life	50,000 Hrs	50,000 Hrs	50,000 Hrs
Warranty	10 Years	10 Years	10 Years
Core Drill Size	-	-	-

Additional Mounts - Ground**LAP-001**

Accessory, Plastic, 1/2"
Threaded 12" Spike

**LAP-005**

Accessory, Plastic, 1/2"
Threaded 15" Commercial
Spike

**LAP-018**

Accessory, Plastic, 1/2"
Threaded 8" Spike with
Adjustable Collar

**LAS-002**

Accessory, Stainless Steel,
Trident Stake, 12"

**LAS-002-6**

Accessory, Stainless Steel,
Trident Stake, 6"

Miscellaneous Accessories - Lens**LAP-019**

Accessory, Plastic, Mega,
20° Optic Lens

Miscellaneous Accessories - Pro**LP-REMOTE**

LumienPRO Remote
(Functionality determined
by the Light Fixture)

Secondary Mounts - Riser Accessories**LAB-049**

Accessory, Brass - Antique,
1/2" Threaded L-Mount

**LAB-050**

Accessory, Brass - Antique,
1/2" Threaded T-Mount

Secondary Mounts - Risers**LAB-051**

Accessory, Brass - Antique,
1/2" Threaded 8" Riser

**LAB-052**

Accessory, Brass - Antique,
1/2" Threaded 16" Riser

**LAB-053**

Accessory, Brass - Antique,
1/2" Threaded 24" Riser

**LAB-058**

Accessory, Brass - Antique,
1/2" Threaded 4" Riser

**LAB-188**

Accessory, Brass - Antique,
Sub-Grade Adjustable
Riser, 1-12"