


LAB-119-BK



Lumien Lighting

770-485-9002
orders@lumienlighting.com
www.lumienlighting.com

Lumien Lighting reserves the right to modify product specifications without notification. © 2023 Lumien Enterprise Inc.

PROJECT: _____

TYPE: _____

CAT #: _____


DESCRIPTION

Accessory, Brass - Black, Nano, Flood Shroud

SPECIFICATIONS

Construction	Brass
Finish	Black
Light Warranty	Lifetime
Housing Warranty	10 Years

FINISHES



Black

NOTES

	MODULE TYPE (required)	WATTS	COLOR TEMP	BEAM SPREAD	FINISH	ACCESSORIES
LAB-119-BK	CORE: N4B1	- - - - 1.5W 2.5W 2700K 3000K	15° 30°	A		Mounts - Hanging (Optional) LAB-035 Antiq Brass, QC, Hanging Mount LAB-035-BK BK Brass, QC, Hanging Mount LCA-001 Catenary, Antiq Brass, Hub w/ Lock
LAB-119-BK	CORE: N4B2	- - - - 2W 2700K 3000K	30°	A		Mounts - Ground (Optional) LAP-006 Plastic & Antiq Brass, QC, 8" Spike LAP-006-BK Plastic & BK Brass, QC, 8" Spike LAS-004 Stainless Steel, QC, Mini Stake, 6"
LAB-119-BK	CORE: N4B3	- - - - 3W 2700K 3000K	15° 30°	A		Mounts - Surface Mount (Optional) LAB-075 Antiq Brass, QC, J-Box, 37mm LAB-076 Antiq Brass, QC, J-Box, 52mm LAB-076-BK BK Brass, QC, J-Box, 52mm
LAB-119-BK	PRO: N7B1	- - - - 2.5W 2700-5700K	15° 30°	A BK		Mounts - Wall (Optional) LAB-177 Antiq Brass, QC, Nano, (1) Sided Sconce LAB-179 Antiq Brass, QC, Nano, (2) Sided Sconce
LAB-119-BK	PRO: N7B3	- - - - 3W 2700-5700K	30°	A BK		Mounts - Recessed (Optional) LAB-153 Antiq Brass, Recessed Mount LAB-153-BK BK Brass, Recessed Mount LAB-153S Antiq Brass, Small Recessed Mount w/ LAP-007 Plastic, PVC for Nano Modules
LAB-119-BK	PRO: N8B1	- - - - 2.5W 2700-5700K	30°	A BK		Secondary Mounts - Risers (Optional) LAB-078 Antiq Brass, QC, Riser, 4", 27mm LAB-079 Antiq Brass, QC, Riser, 8", 27mm LAB-080 Antiq Brass, QC, Riser, 12", 27mm LAB-080-BK BK Brass, QC, Riser, 12", 27mm LAB-081 Antiq Brass, QC, Riser, 16", 27mm LAB-082 Antiq Brass, QC, Riser, 24", 27mm
LAB-119-BK	PRO: N8B3	- - - - 3W 2700-5700K	30°	A BK		Secondary Mounts - Riser Accessories (Optional) LAB-083 Antiq Brass, QC, L-Mount, 27mm LAB-084 Antiq Brass, QC, T-Mount, 27mm
						Secondary Mounts - Recessed Accessories (Optional) LAP-008 Plastic, PVC for Micro Modules
						Accessories - Catenary (Optional) LCA-002 Catenary, Power Extension, 1' LCA-003 Catenary, Power Extension, 2' LCA-004 Catenary, Power Extension, 5' LCA-005 Catenary, Main Power Feed, 30' LCA-006 Catenary, Jumper, 15' LCA-007 Catenary, Antiq Brass, End Cap
						Accessories - Pro Series (Optional) LP-REMOTE LumienPRO Remote

	CORE N4B1-1.5W-27K-15-A N4B1-1.5W-27K-30-A N4B1-1.5W-30K-15-A N4B1-1.5W-30K-30-A	CORE N4B1-2.5W-27K-15-A N4B1-2.5W-27K-30-A N4B1-2.5W-30K-15-A N4B1-2.5W-30K-30-A	CORE N4B2-2W-27K-30-A N4B2-2W-30K-30-A	CORE N4B3-3W-27K-15-A N4B3-3W-27K-30-A N4B3-3W-30K-15-A N4B3-3W-30K-30-A
Construction	Brass	Brass	Brass	Brass
Finish	Antique	Antique	Antique	Antique
Input Voltage	10-15V	10-15V	10-15V	10-15V
Wattage (Volt Amps)	1.5W (2.56)	2.5W (3.97)	2W (3.21)	3W (5.2)
Module Lumens	100 Lm, 141 Lm, 113 Lm,	163 Lm, 217 Lm, 172 Lm,	203 Lm, 209 Lm	167 Lm, 237 Lm, 183 Lm,
Color Temperature	2700K, 3000K	2700K, 3000K	2700K, 3000K	2700K, 3000K
Beam Spread	15°, 30°	30°, 15°	30°	15°, 30°
Lead Wire Length	6'	6'	6'	6'
CRI	80+	80+	80+	80+
RGB	No	No	No	No
Dimmable	Primary Dimming	Primary Dimming	Primary Dimming	Primary Dimming
Rated Life	50,000 Hrs	50,000 Hrs	50,000 Hrs	50,000 Hrs
Warranty	10 Years	10 Years	10 Years	10 Years
Core Drill Size	-	-	-	-

	PRO N7B1-2.5W-15-BK N7B1-2.5W-30-A N7B1-2.5W-30-BK	PRO N7B3-3W-30-A N7B3-3W-30-BK	PRO N8B1-2.5W-27K-30-A N8B1-2.5W-27K-30-BK N8B1-2.5W-30K-30-A N8B1-2.5W-30K-30-BK	PRO N8B3-3W-27K-30-A N8B3-3W-27K-30-BK N8B3-3W-30K-30-A N8B3-3W-30K-30-BK
Construction	Brass	Brass	Brass	Brass
Finish	Black, Antique	Antique, Black	Antique, Black	Antique, Black
Input Voltage	10-15V	10-15V	10-15V	10-15V
Wattage (Volt Amps)	2.5W (4.02)	3W (4.81)	2.5W (4.02)	3W (4.81)
Module Lumens	200 Lm, 121-132 Lm	132-146 Lm	27K: 91 Lm, R: 29 Lm, G:	27K: 105 Lm, R: 27 Lm, G:
Color Temperature	2700-5700K	2700-5700K	2700-5700K	2700-5700K
Beam Spread	15°, 30°	30°	30°	30°
Lead Wire Length	6'	6'	6'	6'
CRI	80+	80+	80+	80+
RGB	No	No	Yes	Yes
Dimmable	With LumienPRO Remote	With LumienPRO Remote	With LumienPRO Remote	With LumienPRO Remote
Rated Life	50,000 Hrs	50,000 Hrs	50,000 Hrs	50,000 Hrs
Warranty	10 Years	10 Years	10 Years	10 Years
Core Drill Size	-	-	-	-

Mounts - Hanging



LAB-035

Accessory, Brass - Antique,
Quick Connect, Hanging
Mount

LAB-035-BK

Accessory, Brass - Black,
Quick Connect, Hanging
Mount



LCA-001

Catenary, Accessory, Brass
- Antique, Hub with Locking
Mechanism

Mounts - Ground



LAP-006

Accessory, Plastic & Brass -
Antique, Quick Connect, 8"
Spike



LAP-006-BK

Accessory, Plastic & Brass -
Black, Quick Connect, 8"
Spike



LAS-004


Accessory, Stainless Steel,
Quick Connect Mini Stake,
6"

Mounts - Surface Mount



LAB-075

Accessory, Brass - Antique,
Quick Connect, Junction
Box, 37mm



LAB-076

Accessory, Brass - Antique,
Quick Connect, Junction
Box, 52mm

LAB-076-BK

Accessory, Brass - Black,
Quick Connect, Junction
Box, 52mm

Mounts - Wall



LAB-177

Accessory, Brass - Antique,
Quick Connect, Nano, (1)
Sided Scone Mount



LAB-179

Accessory, Brass - Antique,
Quick Connect, Nano, (2)
Sided Scone Mount

Mounts - Recessed

LAB-153

Accessory, Brass - Antique,
Recessed Mount
(Compatible with Nano,
Half-Nano, Nano Knuckle,

LAB-153-BK

Accessory, Brass - Black,
Recessed Mount
(Compatible with Nano,
Half-Nano, Nano Knuckle,


LAB-153S

Accessory, Brass - Antique,
Small Recessed Mount with
Spring Loaded Wings
(Compatible with Nano,


LAP-007

Accessory, Plastic, PVC for
Nano Modules

Secondary Mounts - Risers

LAB-078

Accessory, Brass - Antique,
Quick Connect, Riser, 4",
27mm


LAB-079

Accessory, Brass - Antique,
Quick Connect, Riser, 8",
27mm


LAB-080

Accessory, Brass - Antique,
Quick Connect, Riser, 12",
27mm

LAB-080-BK

Accessory, Brass - Black,
Quick Connect, Riser, 12",
27mm


LAB-081

Accessory, Brass - Antique,
Quick Connect, Riser, 16",
27mm


LAB-082

Accessory, Brass - Antique,
Quick Connect, Riser, 24",
27mm

Secondary Mounts - Riser Accessories

LAB-083

Accessory, Brass - Antique,
Quick Connect, L-Mount,
27mm


LAB-084

Accessory, Brass - Antique,
Quick Connect, T-Mount,
27mm

Secondary Mounts - Recessed Accessories



LAP-008

Accessory, Plastic, PVC for
Micro Modules

Accessories - Catenary



LCA-002

Catenary, Accessory,
Power Extension, 1'



LCA-003

Catenary, Accessory,
Power Extension, 2'



LCA-004

Catenary, Accessory,
Power Extension, 5'



LCA-005

Catenary, Accessory, Main
Power Feed, 30'



LCA-006

Catenary, Accessory,
Jumper, 15'



LCA-007

Catenary, Accessory, Brass
- Antique, End Cap

Accessories - Pro Series



LP-REMOTE

LumienPRO Remote
(Functionality determined
by the Light Fixture)