




Together, we are brighter.

A5A4-4W-27K-BZ



PROJECT: _____

TYPE: _____

CAT #: _____

DESCRIPTION

Area, Integrated Variable, Aluminum - Bronze, Flat Top Dome Hat, 4W, 174 Lm, 2700K, 10-15V

SPECIFICATIONS

Construction	Aluminum
Finish	Bronze
Lead Wire	6'
Voltage	10-15V
Mounting	LAP-002 (8" Stake)
Light Warranty	10 Years

FINISHES



Bronze

NOTES

Lumien Lighting

770-485-9002
orders@lumienlighting.com
www.lumienlighting.com

Lumien Lighting reserves the right to modify product specifications without notification. © 2023 Lumien Enterprise Inc.

MODULE TYPE (required)	WATTS	COLOR TEMP	BEAM SPREAD	FINISH	ACCESSORIES
---------------------------	-------	---------------	----------------	--------	-------------

A5A4-4W-27K-BZ



CORE: A5A4

- 4W - 2700K
3000K - 60-120° - BK
BZ



Additional Mounts - Ground (Optional)

- LAS-002** Stainless Steel, Trident Stake, 12"
- LAS-002-6** Stainless Steel, Trident Stake, 6"
- LAS-003** Stainless Steel, 1/2" Threaded Mini Stake,
- LAP-001** Plastic, 1/2" Threaded 12" Spike
- LAP-005** Plastic, 1/2" Threaded 15" Commercial
- LAP-018** Plastic, 1/2" Threaded 8" Spike w/ ADJ

Additional Mounts - Surface Mount (Optional)

- LAA-001** BZ Aluminum, 1/2" Threaded Base
- LAA-001-BK** BK Aluminum, 1/2" Threaded Base
- LAA-002** BZ Aluminum, 1/2" Threaded J-Box
- LAA-002-BK** BK Aluminum, 1/2" Threaded J-Box

Secondary Mounts - Risers (Optional)

- LAA-008** BZ Aluminum, 1/2" ADJ 16-25" Riser
- LAA-008-BK** BK Aluminum, 1/2" ADJ 16-25" Riser
- LAA-020** BZ Aluminum, 1/2" Threaded 4" Riser
- LAA-020-BK** BK Aluminum, 1/2" Threaded 4" Riser
- LAA-005** BZ Aluminum, 1/2" Threaded 8" Riser
- LAA-005-BK** BK Aluminum, 1/2" Threaded 8" Riser
- LAA-006** BZ Aluminum, 1/2" Threaded 16" Riser
- LAA-006-BK** BK Aluminum, 1/2" Threaded 16" Riser
- LAA-007** BZ Aluminum, 1/2" Threaded 24" Riser
- LAA-007-BK** BK ALuminum, 1/2" Threaded 24" Riser

Accessories - Pro Series (Optional)

- LP-REMOTE** LumienPRO Remote



MODULES

CORE

A5A4-4W-27K-BK

A5A4-4W-27K-BZ

A5A4-4W-30K-BK

A5A4-4W-30K-BZ

Construction	Aluminum
Finish	Black, Bronze
Input Voltage	10-15V
Wattage (Volt Amps)	4W (6.06)
Module Lumens	174 Lm, 185 Lm
Color Temperature	2700K, 3000K
Beam Spread	60-120°
Lead Wire Length	6'
CRI	80+
RGB	No
Dimmable	No
Rated Life	50,000 Hrs
Warranty	10 Years
Core Drill Size	-

Additional Mounts - Ground



LAS-002

Accessory, Stainless Steel,
Trident Stake, 12"



LAS-002-6

Accessory, Stainless Steel,
Trident Stake, 6"



LAS-003

Accessory, Stainless Steel,
1/2" Threaded Mini Stake, 6"



LAP-001

Accessory, Plastic, 1/2"
Threaded 12" Spike



LAP-005

Accessory, Plastic, 1/2"
Threaded 15" Commercial
Spike

LAP-018

Accessory, Plastic, 1/2"
Threaded 8" Spike with
Adjustable Collar

Additional Mounts - Surface Mount



LAA-001

Accessory, Aluminum -
Bronze, 1/2" Threaded Base



LAA-001-BK

Accessory, Aluminum -
Black, 1/2" Threaded Base



LAA-002

Accessory, Aluminum -
Bronze, 1/2" Threaded
Junction Box



LAA-002-BK

Accessory, Aluminum -
Black, 1/2" Threaded
Junction Box

Secondary Mounts - Risers



LAA-008

Accessory, Aluminum -
Bronze, 1/2" Adjustable
16-25" Riser




LAA-008-BK

Accessory, Aluminum -
Black, 1/2" Adjustable
16-25" Riser



LAA-020

Accessory, Aluminum -
Bronze, 1/2" Threaded 4"
Riser



LAA-020-BK

Accessory, Aluminum -
Black, 1/2" Threaded 4"
Riser



LAA-005

Accessory, Aluminum -
Bronze, 1/2" Threaded 8"
Riser



LAA-005-BK

Accessory, Aluminum -
Black, 1/2" Threaded 8"
Riser




LAA-006

Accessory, Aluminum -
Bronze, 1/2" Threaded 16"
Riser

LAA-006-BK

Accessory, Aluminum -
Black, 1/2" Threaded 16"
Riser



LAA-007

Accessory, Aluminum -
Bronze, 1/2" Threaded 24"
Riser

LAA-007-BK

Accessory, Aluminum -
Black, 1/2" Threaded 24"
Riser

Accessories - Pro Series



LP-REMOTE

LumienPRO Remote
(Functionality determined
by the Light Fixture)