




Together, we are brighter.

A3A3-6W-27K-BZ



PROJECT: _____

TYPE: _____

CAT #: _____

DESCRIPTION

Area, Integrated Non-Modular, Aluminum
- Bronze, L-Shape, 6W, 467 Lm, 2700K,
10-15V

SPECIFICATIONS

Construction	Aluminum
Finish	Bronze
Lead Wire	6"
Voltage	10-15V
Mounting	LAP-002 (8" Stake)
Light Warranty	10 Years

FINISHES



Bronze

NOTES

Lumien Lighting

770-485-9002
orders@lumienlighting.com
www.lumienlighting.com

Lumien Lighting reserves the right
to modify product specifications
without notification. © 2023
Lumien Enterprise Inc.

	MODULE TYPE (required)	WATTS	COLOR TEMP	BEAM SPREAD	FINISH	ACCESSORIES
A3A3-6W-27K-BZ	CORE: A3A3	6W	2700K 3000K	80°	BK BZ	Additional Mounts - Ground (Optional) LAS-002 Stainless Steel, Trident Stake, 12" LAS-002-6 Stainless Steel, Trident Stake, 6" LAS-003 Stainless Steel, 1/2" Threaded Mini Stake, LAP-001 Plastic, 1/2" Threaded 12" Spike LAP-005 Plastic, 1/2" Threaded 15" Commercial LAP-018 Plastic, 1/2" Threaded 8" Spike w/ ADJ
A3A3-6W-27K-BZ	PRO: A9A3	6W	2700-5700K	80°	BK BZ	Additional Mounts - Surface Mount (Optional) LAA-001 BZ Aluminum, 1/2" Threaded Base LAA-001-BK BK Aluminum, 1/2" Threaded Base LAA-002 BZ Aluminum, 1/2" Threaded J-Box LAA-002-BK BK Aluminum, 1/2" Threaded J-Box Secondary Mounts - Risers (Optional) LAA-008 BZ Aluminum, 1/2" ADJ 16-25" Riser LAA-008-BK BK Aluminum, 1/2" ADJ 16-25" Riser LAA-020 BZ Aluminum, 1/2" Threaded 4" Riser LAA-020-BK BK Aluminum, 1/2" Threaded 4" Riser LAA-005 BZ Aluminum, 1/2" Threaded 8" Riser LAA-005-BK BK Aluminum, 1/2" Threaded 8" Riser LAA-006 BZ Aluminum, 1/2" Threaded 16" Riser LAA-006-BK BK Aluminum, 1/2" Threaded 16" Riser LAA-007 BZ Aluminum, 1/2" Threaded 24" Riser LAA-007-BK BK ALuminum, 1/2" Threaded 24" Riser Accessories - Pro Series (Optional) LP-REMOTE LumienPRO Remote

CORE

A3A3-6W-27K-BK
A3A3-6W-27K-BZ
A3A3-6W-30K-BK
A3A3-6W-30K-BZ

PRO

A9A3-6W-BK
A9A3-6W-BZ

Construction	Aluminum	Aluminum
Finish	Black, Bronze	Black, Bronze
Input Voltage	10-15V	10-15V
Wattage (Volt Amps)	6W (9.76)	6W (9.11)
Module Lumens	467 Lm, 486 Lm	27K-57K: 324-361 Lm, R:
Color Temperature	2700K, 3000K	2700-5700K
Beam Spread	80°	80°
Lead Wire Length	6' 6"	6'
CRI	80+	80+
RGB	No	Yes
Dimmable	No	With LumienPRO Remote
Rated Life	50,000 Hrs	50,000 Hrs
Warranty	10 Years	10 Years
Core Drill Size	-	-

Additional Mounts - Ground

LAS-002

Accessory, Stainless Steel,
Trident Stake, 12"


LAS-002-6

Accessory, Stainless Steel,
Trident Stake, 6"


LAS-003

Accessory, Stainless Steel,
1/2" Threaded Mini Stake, 6"


LAP-001

Accessory, Plastic, 1/2"
Threaded 12" Spike


LAP-005

Accessory, Plastic, 1/2"
Threaded 15" Commercial
Spike

LAP-018

Accessory, Plastic, 1/2"
Threaded 8" Spike with
Adjustable Collar

Additional Mounts - Surface Mount

LAA-001

Accessory, Aluminum -
Bronze, 1/2" Threaded Base


LAA-001-BK

Accessory, Aluminum -
Black, 1/2" Threaded Base


LAA-002

Accessory, Aluminum -
Bronze, 1/2" Threaded
Junction Box


LAA-002-BK

Accessory, Aluminum -
Black, 1/2" Threaded
Junction Box

Secondary Mounts - Risers

LAA-008


Accessory, Aluminum -
Bronze, 1/2" Adjustable
16-25" Riser


LAA-008-BK

Accessory, Aluminum -
Black, 1/2" Adjustable
16-25" Riser


LAA-020

Accessory, Aluminum -
Bronze, 1/2" Threaded 4"
Riser


LAA-020-BK

Accessory, Aluminum -
Black, 1/2" Threaded 4"
Riser



LAA-005

Accessory, Aluminum -
Bronze, 1/2" Threaded 8"
Riser



LAA-005-BK

Accessory, Aluminum -
Black, 1/2" Threaded 8"
Riser




LAA-006

Accessory, Aluminum -
Bronze, 1/2" Threaded 16"
Riser

LAA-006-BK

Accessory, Aluminum -
Black, 1/2" Threaded 16"
Riser



LAA-007

Accessory, Aluminum -
Bronze, 1/2" Threaded 24"
Riser

LAA-007-BK

Accessory, Aluminum -
Black, 1/2" Threaded 24"
Riser

Accessories - Pro Series



LP-REMOTE

LumienPRO Remote
(Functionality determined
by the Light Fixture)