




Together, we are brighter.

LAA-040



PROJECT: _____

TYPE: _____

CAT #: _____

DESCRIPTION

Accessory, Aluminum - Bronze, Standard, Area Light Hat, Flat Top Dome

SPECIFICATIONS

Construction	Aluminum
Finish	Antique

FINISHES



Antique

NOTES

Lumien Lighting

770-485-9002
orders@lumienlighting.com
www.lumienlighting.com

Lumien Lighting reserves the right to modify product specifications without notification. © 2023 Lumien Enterprise Inc.



ORDERING GUIDE

MODULE TYPE (required)	WATTS	COLOR TEMP	BEAM SPREAD	FINISH	ACCESSORIES
---------------------------	-------	---------------	----------------	--------	-------------

LAA-040



CORE: A6A1

-

-

-

-



4W

2700K
3000K

BK
BZ

LAA-040



PRO: A9A1

-

-

-

-



7W

2700-5700K

BK
BZ

CORE

A6A1-4W-27K-BK

A6A1-4W-27K-BZ

A6A1-4W-30K-BK

A6A1-4W-30K-BZ

PRO

A9A1-7W-BK

A9A1-7W-BZ

Construction	Aluminum	Aluminum
Finish	Black, Bronze	Black, Bronze
Input Voltage	10-15V	10-15V
Wattage (Volt Amps)	4W (5.58)	7W (10.13)
Module Lumens	192 Lm, 218 Lm	27K-57K: 189-222 Lm, R:
Color Temperature	2700K, 3000K	2700-5700K
Beam Spread		
Lead Wire Length	6'	6'
CRI	80+	80+
RGB	No	Yes
Dimmable		With LP-REMOTE
Rated Life	50,000 Hrs	50,000 Hrs
Warranty	10 Years	10 Years
Core Drill Size	-	-