




Together, we are brighter.

W4B4-2.5W-27K-A



PROJECT: _____

TYPE: _____

CAT #: _____

DESCRIPTION

Wall, Integrated Modular, Brass - Antique, 6" Modular Hardscape, 2.5W, 134 Lm, 2700K, 10-15V

SPECIFICATIONS

Construction	Brass
Finish	Antique
Lead Wire	6'
Voltage	10-15V
Mounting	Stainless Steel Plate
Light Warranty	10 Years
Housing Warranty	Lifetime

FINISHES



Antique

NOTES

Lumien Lighting

770-485-9002
orders@lumienlighting.com
www.lumienlighting.com

Lumien Lighting reserves the right to modify product specifications without notification. © 2023 Lumien Enterprise Inc.



ORDERING GUIDE

MODULE TYPE (required)	WATTS	COLOR TEMP	BEAM SPREAD	FINISH	ACCESSORIES
---------------------------	-------	---------------	----------------	--------	-------------

W4B4-2.5W-27K-A



CORE: W4B4

-

-

-

-

2.5W

2700K
3000K

115°

Aluminum
A



Additional Mounts - Surface Mount (Optional)
LAA-009 BZ Aluminum, Hardscape Surface-Mount
LAA-009-BK BK Aluminum, Hardscape Surface-Mount
Miscellaneous Accessories - Pro (Optional)
LP-REMOTE LumienPRO Remote

W4B4-2.5W-27K-A



PRO: W9B4

-

-

-

-

2.5W

2700-5700K

115°

Aluminum



	W4B4-2.5W-27K-A W4B4-2.5W-30K-A	W9B4-2.5W-A
Construction	Brass	Brass
Finish	Antique, Aluminum	Aluminum
Input Voltage	10-15V	10-15V
Wattage (Volt Amps)	2.5W (4.38)	2.5W (4.95)
Module Lumens	134 Lm, 122 Lm	110 Lm
Color Temperature	2700K, 3000K	2700-5700K
Beam Spread	115°	115°
Lead Wire Length	6'	6'
CRI	80+	80+
RGB	No	Yes
Dimmable	Primary Dimming	Primary Dimming
Rated Life	50,000 Hrs	50,000 Hrs
Warranty	10 Years	10 Years
Core Drill Size	-	-

Additional Mounts - Surface Mount**LAA-009**

Accessory, Aluminum -
Bronze, Hardscape
Surface-Mount Bracket

**LAA-009-BK**

Accessory, Aluminum -
Black, Hardscape
Surface-Mount Bracket

Miscellaneous Accessories - Pro**LP-REMOTE**

LumienPRO Remote
(Functionality determined
by the Light Fixture)