




Together, we are brighter.

Z9B1-10W-A



PROJECT: _____

TYPE: _____

CAT #: _____


DESCRIPTION

Macro, LumienPRO - RGBTW, Brass - Antique, 10W, 2700-5700K: 427-562 Lm, R: 210 Lm, G: 385 Lm, B: 77 Lm, 40°, 10-15V

SPECIFICATIONS

Construction	Brass
Finish	Antique
Lead Wire	6'
Voltage	10-15V
Light Warranty	10 Years
Housing Warranty	Lifetime

FINISHES



NOTES

Lumien Lighting

770-485-9002
orders@lumienlighting.com
www.lumienlighting.com

Lumien Lighting reserves the right to modify product specifications without notification. © 2023 Lumien Enterprise Inc.

MODULE TYPE (required)	WATTS	COLOR TEMP	BEAM SPREAD	FINISH	ACCESSORIES
---------------------------	-------	---------------	----------------	--------	-------------

Z9B1-10W-A

+

CORE: Z4B1

- - - -

10W 2700K 40° A

3000K

+

Z9B1-10W-A

+

PROdim: Z5B1

- - - -

10W BLUE 40° A

+

Z9B1-10W-A

+

PRO: Z7B1

- - - -

10W 2700-5700K 40° A

+

Z9B1-10W-A

+

PRO: Z9B1

- - - -

10W 2700-5700K 40° A

+

CORE

PROdim

PRO

PRO

	Z4B1-10W-27K-A Z4B1-10W-30K-A	Z5B1-10W-BLUE-A	Z7B1-10W-A	Z9B1-10W-A
Construction	Brass	Brass	Brass	Brass
Finish	Antique	Antique	Antique	Antique
Input Voltage	10-15V	10-15V	10-15V	10-15V
Wattage (Volt Amps)	10W (10.77)	10W (13.55)	10W (14.01)	10W (14.21)
Module Lumens	780 Lm, 800 Lm	207 Lm	600-690 Lm	27K-57K: 427-562 Lm, R:
Color Temperature	2700K, 3000K	BLUE	2700-5700K	2700-5700K
Beam Spread	40°	40°	40°	40°
Lead Wire Length	6'	6'	6'	6'
CRI	80+	80+	80+	80+
RGB	No	No	No	Yes
Dimmable	Primary Dimming	Primary Dimming	With LumienPRO Remote	With LumienPRO Remote
Rated Life	50,000 Hrs	50,000 Hrs	50,000 Hrs	50,000 Hrs
Warranty	10 Years	10 Years	10 Years	10 Years
Core Drill Size	-	-	-	-