


Together, we are brighter.

F5A1-8W-27K-BZ







Lumien Lighting

- **⑤** 770-485-9002
- orders@lumienlighting.com
- www.lumienlighting.com

Lumien Lighting reserves the right to modify product specifications without notification. © 2023 Lumien Enterprise Inc.

ROJECT:	_
YPE:	_
CAT #:	

DESCRIPTION

Flood, Integrated Variable - Standard Dimming, Aluminum - Bronze, Deco Aluminum Series Floodlight (Includes 40° Optic), 8W, 600 Lm, 2700K, 10-15V

SPECIFICATIONS

Construction Aluminum
Finish Bronze
Lead Wire 6'

Voltage 10-15V

Mounting LAP-002 (8" Stake)
Light Warranty 10 Years

Housing Warranty 10 Years

FINISHES




Bronze

NOTES

LUMIENS

ORDERING GUIDE




LUMIEN MODULES

	CORE F5A1-8W-27K-BK F5A1-8W-27K-BZ F5A1-8W-30K-BK F5A1-8W-30K-BZ	CORE F5A1-15W-27K-BK F5A1-15W-27K-BZ F5A1-15W-30K-BK F5A1-15W-30K-BZ	PRO F7A1-12W-BK F7A1-12W-BZ	F9A1-12W-BK F9A1-12W-BZ
Construction	Aluminum	Aluminum	Aluminum	Aluminum
Finish	Black, Bronze	Black, Bronze	Black, Bronze	Black, Bronze
Input Voltage	10-15V	10-15V	10-15V	10-15V
Wattage (Volt Amps)	8W (8.79)	15W (16.12)	12W (15.83)	12W (16.12)
Module Lumens	600 Lm, 640 Lm	1000 Lm	468-547 Lm	27K-57K: 309-411 Lm, R:
Color Temperature	2700K, 3000K	2700K, 3000K	2700-5700K	2700-5700K
Beam Spread	40°	60°, 40°	60°	40°
Lead Wire Length	6'	6'	6'	6'
CRI	80+	80+	80+	80+
RGB	No	No	No	Yes
Dimmable	Primary Dimming	Primary Dimming	With LumienPRO Remote With LumienPRO Remote	
Rated Life	50,000 Hrs	50,000 Hrs	50,000 Hrs	50,000 Hrs
Warranty	10 Years	10 Years	10 Years	10 Years
Core Drill Size	-	-	-	-



ACCESSORIES

Accessories - Lens



LAG-005

Accessory, Glass, Mercury Vapor Lens for Deco **Aluminum Series**



LAP-010

Accessory, Plastic, Macro, 15° Optic Lens



LAP-011

Accessory, Plastic, Macro, 40° Optic Lens



LAP-012

Accessory, Plastic, Macro, 60° Optic Lens



LAP-013

Accessory, Plastic, Macro, 80° Optic Lens (Compatible with the Deco Aluminum Series)



LAP-016

Accessory, Plastic, Macro, Asymmetrical Optic Lens (Compatible with the Deco Aluminum & Brass Series)

Additional Mounts - Gutter Mount



LAA-021

Accessory, Stainless Steel -Bronze, Gutter Mount Bracket



LAA-021-BK

Accessory, Stainless Steel -Black, Gutter Mount Bracket

Additional Mounts - Ground



LAS-002

Accessory, Stainless Steel, Trident Stake, 12"



LAS-002-6

Accessory, Stainless Steel, Trident Stake, 6"



LAS-003

Accessory, Stainless Steel, 1/2" Threaded Mini Stake, 6"



LAP-001

Accessory, Plastic, 1/2" Threaded 12" Spike

LUMIEN®

ACCESSORIES



LAP-005

Accessory, Plastic, 1/2" Threaded 15" Commercial Spike



LAP-018

Accessory, Plastic, 1/2" Threaded 8" Spike with Adjustable Collar

Additional Mounts - Surface Mount



LAA-001

Accessory, Aluminum - Bronze, 1/2" Threaded Base



LAA-001-BK

Accessory, Aluminum - Black, 1/2" Threaded Base



LAA-002

Accessory, Aluminum -Bronze, 1/2" Threaded Junction Box



LAA-002-BK

Accessory, Aluminum -Black, 1/2" Threaded Junction Box

Secondary Mounts - Risers



LAA-008

Accessory, Aluminum -Bronze, 1/2" Adjustable 16-25" Riser



LAA-008-BK

Accessory, Aluminum -Black, 1/2" Adjustable 16-25" Riser



LAA-020

Accessory, Aluminum -Bronze, 1/2" Threaded 4" Riser



Accessory, Aluminum -Black, 1/2" Threaded 4" Riser



LAA-005

Accessory, Aluminum -Bronze, 1/2" Threaded 8" Riser



LAA-005-BK

Accessory, Aluminum -Black, 1/2" Threaded 8" Riser



LAA-006

Accessory, Aluminum -Bronze, 1/2" Threaded 16" Riser

LAA-006-BK

Accessory, Aluminum -Black, 1/2" Threaded 16" Riser



LAA-007

Accessory, Aluminum -Bronze, 1/2" Threaded 24" Riser

LAA-007-BK

Accessory, Aluminum -Black, 1/2" Threaded 24" Riser

Secondary Mounts - Riser Accessories



LAA-003

Accessory, Aluminum -Bronze, 1/2" Threaded L-Mount



LAA-003-BK

Accessory, Aluminum -Black, 1/2" Threaded L-Mount



LAA-004

Accessory, Aluminum -Bronze, 1/2" Threaded T-Mount



LAA-004-BK

Accessory, Aluminum -Black, 1/2" Threaded T-Mount

Accessories - Pro Series



LP-REMOTE

LumienPRO Remote (Functionality determined by the Light Fixture)