


W3A1-2.5W-27K-BZ



PROJECT: _____

TYPE: _____

CAT #: _____

DESCRIPTION

Wall, Integrated Non-Modular, Aluminum - Bronze, 6" Hardscape, 2.5W, 149 Lm, 2700K, 10-15V

SPECIFICATIONS

Construction	Aluminum
Finish	Bronze
Lead Wire	6'
Voltage	10-15V
Mounting	Stainless Steel Plate
Light Warranty	10 Years

FINISHES



Bronze

NOTES

Lumien Lighting

770-485-9002
orders@lumienlighting.com
www.lumienlighting.com

Lumien Lighting reserves the right to modify product specifications without notification. © 2023 Lumien Enterprise Inc.



ORDERING GUIDE

MODULE TYPE (required)	WATTS	COLOR TEMP	BEAM SPREAD	FINISH	ACCESSORIES
---------------------------	-------	---------------	----------------	--------	-------------

W3A1-2.5W-27K-BZ



CORE: W3A1

-

-

-

-

2.5W

2700K
3000K

115°

BK
BZ



Additional Mounts - Surface Mount (Optional)
LAA-009 BZ Aluminum, Hardscape Surface-Mount
LAA-009-BK BK Aluminum, Hardscape Surface-Mount



MODULES

CORE

W3A1-2.5W-27K-BK

W3A1-2.5W-27K-BZ

W3A1-2.5W-30K-BK

W3A1-2.5W-30K-BZ

Construction	Aluminum
Finish	Black, Bronze
Input Voltage	10-15V
Wattage (Volt Amps)	2.5W (3.23)
Module Lumens	149 Lm, 160 Lm
Color Temperature	2700K, 3000K
Beam Spread	115°
Lead Wire Length	6'
CRI	80+
RGB	No
Dimmable	No
Rated Life	50,000 Hrs
Warranty	10 Years
Core Drill Size	-

Additional Mounts - Surface Mount**LAA-009**

Accessory, Aluminum -
Bronze, Hardscape
Surface-Mount Bracket

**LAA-009-BK**

Accessory, Aluminum -
Black, Hardscape
Surface-Mount Bracket