


D9B1-23W-A



PROJECT: _____

TYPE: _____

CAT #: _____

DESCRIPTION

Directional, LumienPRO - RGBTW, Brass - Antique, Mega Brass Series Uplight (Includes 40° Optics), 23W, 2700-5700K: 1264-1510 Lm, R: 494 Lm, G: 875 Lm, B: 184 Lm, 10-15V

SPECIFICATIONS

Construction	Brass
Finish	Antique
Lead Wire	6'
Voltage	10-15V
Mounting	LAP-018
Light Warranty	10 Years
Housing Warranty	Lifetime

FINISHES



Antique

NOTES

Lumien Lighting

770-485-9002
orders@lumienlighting.com
www.lumienlighting.com

Lumien Lighting reserves the right to modify product specifications without notification. © 2023 Lumien Enterprise Inc.

	MODULE TYPE (required)	WATTS	COLOR TEMP	BEAM SPREAD	FINISH	ACCESSORIES
D9B1-23W-A	CORE PROdim: D6B1	10W 23W 5W	3000K 2700K	15°, 40°, 60° 40°	A	Additional Mounts - Ground (Optional) LAP-005 Plastic, 1/2" Threaded 15" Commercial LAP-001 Plastic, 1/2" Threaded 12" Spike LAP-018 Plastic, 1/2" Threaded 8" Spike w/ ADJ LAS-002 Stainless Steel, Trident Stake, 12" LAS-002-6 Stainless Steel, Trident Stake, 6" LAS-003 Stainless Steel, 1/2" Threaded Mini Stake,
D9B1-23W-A	PRO: D7B1	10W 23W	2700-5700K	15°, 40°, 60° 40°	A	Miscellaneous Accessories - Lens (Optional) LAA-022 BK Aluminum, Banded Hex Louver for LAG-005 Glass, Mercury Vapor Lens for Deco LAP-013 Plastic, Macro/Deco, 80° Optic Lens LAP-016 Plastic, Macro/Deco, Asymmetrical
D9B1-23W-A	PRO: D9B1	10W 23W	2700-5700K	15°, 40°, 60° 40°	A	Miscellaneous Accessories - Pro (Optional) LP-REMOTE LumienPRO Remote Secondary Mounts - Riser Accessories (Optional) LAB-049 Antiq Brass, 1/2" Threaded L-Mount LAB-050 Antiq Brass, 1/2" Threaded T-Mount Secondary Mounts - Risers (Optional) LAB-188 Antiq Brass, Sub-Grade ADJ Riser, 1-12" LAB-058 Antiq Brass, 1/2" Threaded 4" Riser LAB-051 Antiq Brass, 1/2" Threaded 8" Riser LAB-052 Antiq Brass, 1/2" Threaded 16" Riser LAB-053 Antiq Brass, 1/2" Threaded 24" Riser

CORE

CORE

PROdim

PRO

	D6B1-5W-27K-A D6B1-5W-30K-A	D6B1-10W-27K-A D6B1-10W-30K-A	D6B1-23W-27K-A D6B1-23W-30K-A	D7B1-10W-A
Construction	Brass	Brass	Brass	Brass
Finish	Antique	Antique	Antique,	Antique
Input Voltage	10-15V	10-15V	10-15V	10-15V
Wattage (Volt Amps)	5W (6.99)	10W (14.12)	23W (31.56)	10W (14.31)
Module Lumens	375 Lm	700 Lm	2206 Lm	550 Lm
Color Temperature	2700K, 3000K	2700K, 3000K	2700K, 3000K	2700-5700K
Beam Spread	15°, 40°, 60°	15°, 40°, 60°	40°	15°, 40°, 60°
Lead Wire Length	6'	6'	6'	6'
CRI	80+	80+	80+	80+
RGB	No	No	No	No
Dimmable	Primary Dimming	Primary Dimming	Primary Dimming	With LumienPRO Remote
Rated Life	50,000 Hrs	50,000 Hrs	50,000 Hrs	50,000 Hrs
Warranty	10 Years	10 Years	10 Years	10 Years
Core Drill Size	-	-	-	-

PRO

PRO

PRO

	D7B1-23W-A	D9B1-10W-A	D9B1-23W-A
Construction	Brass	Brass	Brass
Finish	Antique	Antique	Antique
Input Voltage	10-15V	10-15V	10-15V
Wattage (Volt Amps)	23W (32.03)	10W (13.86)	23W (31.05)
Module Lumens	1875-2108 Lm	469 Lm	27-57K: 1264-1510 Lm, R:
Color Temperature	2700-5700K	2700-5700K	2700-5700K
Beam Spread	40°	15°, 40°, 60°	40°
Lead Wire Length	6'	6'	6'
CRI	80+	80+	80+
RGB	No	Yes	Yes
Dimmable	With LumienPRO Remote	With LumienPRO Remote	With LumienPRO Remote
Rated Life	50,000 Hrs	50,000 Hrs	50,000 Hrs
Warranty	10 Years	10 Years	10 Years
Core Drill Size	-	-	-

Additional Mounts - Ground



LAP-005

Accessory, Plastic, 1/2"
Threaded 15" Commercial
Spike



LAP-001

Accessory, Plastic, 1/2"
Threaded 12" Spike



LAP-018

Accessory, Plastic, 1/2"
Threaded 8" Spike with
Adjustable Collar



LAS-002

Accessory, Stainless Steel,
Trident Stake, 12"



LAS-002-6

Accessory, Stainless Steel,
Trident Stake, 6"



LAS-003

Accessory, Stainless Steel,
1/2" Threaded Mini Stake, 6"

Miscellaneous Accessories - Lens



LAA-022

Accessory, Aluminum -
Black, Banded Hex Louver
for Deco Aluminum Series



LAG-005

Accessory, Glass, Mercury
Vapor Lens for Deco
Aluminum Series



LAP-013

Accessory, Plastic, Macro,
80° Optic Lens (Compatible
with the Deco Aluminum
Series)



LAP-016

Accessory, Plastic, Macro,
Asymmetrical Optic Lens
(Compatible with the Deco
Aluminum & Brass Series)

Miscellaneous Accessories - Pro



LP-REMOTE

LumienPRO Remote
(Functionality determined
by the Light Fixture)

Secondary Mounts - Riser Accessories



LAB-049

Accessory, Brass - Antique,
1/2" Threaded L-Mount



LAB-050

Accessory, Brass - Antique,
1/2" Threaded T-Mount

Secondary Mounts - Risers



LAB-188

Accessory, Brass - Antique,
Sub-Grade Adjustable
Riser, 1-12"




LAB-058

Accessory, Brass - Antique,
1/2" Threaded 4" Riser




LAB-051

Accessory, Brass - Antique,
1/2" Threaded 8" Riser



LAB-052

Accessory, Brass - Antique,
1/2" Threaded 16" Riser



LAB-053

Accessory, Brass - Antique,
1/2" Threaded 24" Riser