


A6B1-4W-30K-A



PROJECT: _____

TYPE: _____

CAT #: _____

DESCRIPTION

Area, Integrated Modular Variable, Brass - Antique, 18" Riser with Module/ADJ Beam Spread, 4W, 218 Lm, 3000K, 10-15V

SPECIFICATIONS

Construction	Brass
Finish	Antique
Lead Wire	6'
Voltage	10-15V
Mounting	LAP-002 (8" Stake)
Light Warranty	10 Years
Housing Warranty	Lifetime

FINISHES



Antique

NOTES

Lumien Lighting

770-485-9002
orders@lumienlighting.com
www.lumienlighting.com

Lumien Lighting reserves the right to modify product specifications without notification. © 2023 Lumien Enterprise Inc.

MODULE TYPE (required)		WATTS	COLOR TEMP	BEAM SPREAD	FINISH	ACCESSORIES	
A6B1-4W-30K-A	+	CORE: A6B1 - - - -				+	Accessories - Area Hat (Required) LAB-038 Antiq Brass, Area Hat, 2-Tiered LAB-039 Antiq Brass, Area Hat, Triangular LAB-040 Antiq Brass, Area Hat, Flat Top Dome LAB-040-BK BK Brass, Area Hat, Flat Top Dome LAB-041 Antiq Brass, Area Hat, Rounded Top LAB-042 Antiq Brass, Area Hat, Bollard Style LAB-042-BK BK Brass, Area Hat, Bollard Style
A6B1-4W-30K-A	+	PRO: A7B1 - - - -				+	Additional Mounts - Ground (Optional) LAS-002 Stainless Steel, Trident Stake, 12" LAS-002-6 Stainless Steel, Trident Stake, 6" LAS-003 Stainless Steel, 1/2" Threaded Mini Stake, LAP-001 Plastic, 1/2" Threaded 12" Spike LAP-005 Plastic, 1/2" Threaded 15" Commercial LAP-018 Plastic, 1/2" Threaded 8" Spike w/ ADJ
A6B1-4W-30K-A	+	PRO: A9B1 - - - -				+	Secondary Mounts - Risers (Optional) LAB-188 Antiq Brass, Sub-Grade ADJ Riser, 1-12" LAB-058 Antiq Brass, 1/2" Threaded 4" Riser LAB-051 Antiq Brass, 1/2" Threaded 8" Riser LAB-052 Antiq Brass, 1/2" Threaded 16" Riser LAB-053 Antiq Brass, 1/2" Threaded 24" Riser Accessories - Pro Series (Optional) LP-REMOTE LumienPRO Remote

CORE

CORE

PRO

PRO

	A6B1-4W-27K-A A6B1-4W-30K-A	A6B1-8W-27K-A A6B1-8W-30K-A	A7B1-7W-A	A9B1-7W-A A9B1-7W-BK
Construction	Brass	Brass	Brass	Brass
Finish	Antique	Antique	Antique	Antique, Black
Input Voltage	10-15V	10-15V	10-15V	10-15V
Wattage (Volt Amps)	4W (5.58)	8W (11.9)	7W (10.08)	7W (10.13)
Module Lumens	192 Lm, 218 Lm	362 Lm, 375 Lm	235-287 Lm	27K-57K: 189-222 Lm, R:
Color Temperature	2700K, 3000K	2700K, 3000K	2700-5700K	2700-5700K
Beam Spread	50-110°	50-110°	50-110°	50-110°
Lead Wire Length	6'	6'	6'	6'
CRI	80+	80+	80+	80+
RGB	No	No	No	Yes
Dimmable	No	No	With LumienPRO Remote	With LumienPRO Remote
Rated Life	50,000 Hrs	50,000 Hrs	50,000 Hrs	50,000 Hrs
Warranty	10 Years	10 Years	10 Years	10 Years
Core Drill Size	-	-	-	-

Accessories - Area Hat



LAB-038

Accessory, Brass - Antique,
Standard, Area Light Hat,
2-Tiered



LAB-039

Accessory, Brass - Antique,
Standard, Area Light Hat,
Triangular



LAB-040

Accessory, Brass - Antique,
Standard, Area Light Hat,
Flat Top Dome

LAB-040-BK

Accessory, Brass - Black,
Standard, Area Light Hat,
Flat Top Dome



LAB-041

Accessory, Brass - Antique,
Standard, Area Light Hat,
Rounded Top



LAB-042

Accessory, Brass - Antique,
Standard Area Light Hat,
Bollard Style

LAB-042-BK

Accessory, Brass - Black,
Standard, Area Light Hat,
Bollard Style

Additional Mounts - Ground



LAS-002

Accessory, Stainless Steel,
Trident Stake, 12"



LAS-002-6

Accessory, Stainless Steel,
Trident Stake, 6"



LAS-003

Accessory, Stainless Steel,
1/2" Threaded Mini Stake, 6"



LAP-001

Accessory, Plastic, 1/2"
Threaded 12" Spike



LAP-005

Accessory, Plastic, 1/2"
Threaded 15" Commercial
Spike

LAP-018

Accessory, Plastic, 1/2"
Threaded 8" Spike with
Adjustable Collar

Secondary Mounts - Risers

LAB-188

Accessory, Brass - Antique,
Sub-Grade Adjustable
Riser, 1-12"

LAB-058

Accessory, Brass - Antique,
1/2" Threaded 4" Riser

LAB-051

Accessory, Brass - Antique,
1/2" Threaded 8" Riser

LAB-052

Accessory, Brass - Antique,
1/2" Threaded 16" Riser

LAB-053

Accessory, Brass - Antique,
1/2" Threaded 24" Riser

Accessories - Pro Series

LP-REMOTE

LumienPRO Remote
(Functionality determined
by the Light Fixture)