


F5A1-8W-30K-BZ







Lumien Lighting

- **⑤** 770-485-9002
- orders@lumienlighting.com
- www.lumienlighting.com

Lumien Lighting reserves the right to modify product specifications without notification. © 2023 Lumien Enterprise Inc.

ROJECT:	_
YPE:	_
CAT #:	

DESCRIPTION

Flood, Integrated Variable - Standard Dimming, Aluminum - Bronze, Deco Aluminum Series Floodlight (Includes 40° Optic), 8W, 600 Lm, 3000K, 10-15V

SPECIFICATIONS

Construction Aluminum
Finish Bronze
Lead Wire 6'

Voltage 10-15V

Mounting LAP-002 (8" Stake)
Light Warranty 10 Years

Light Warranty 10 Years
Housing Warranty 10 Years

FINISHES




Bronze

NOTES

LUMIENS

ORDERING GUIDE




LUMIEN MODULES

	CORE F5A1-8W-27K-BK F5A1-8W-27K-BZ F5A1-8W-30K-BK	F5A1-15W-27K-BK F5A1-15W-27K-BZ F5A1-15W-30K-BK	PRO F7A1-12W-BK	F9A1-12W-BK
Construction	F5A1-8W-30K-BZ Aluminum	F5A1-15W-30K-BZ Aluminum	F7A1-12W-BZ Aluminum	F9A1-12W-BZ Aluminum
Finish	Black, Bronze	Black, Bronze	Black, Bronze	Black, Bronze
Input Voltage	10-15V	10-15V	10-15V	10-15V
Wattage (Volt Amps)	8W (8.79)	15W (16.12)	12W (15.83)	12W (16.12)
Module Lumens	600 Lm, 640 Lm	1000 Lm	468-547 Lm	27K-57K: 309-411 Lm, R:
Color Temperature	2700K, 3000K	2700K, 3000K	2700-5700K	2700-5700K
Beam Spread	40°	60°, 40°	60°	40°
Lead Wire Length	6'	6'	6'	6'
CRI	80+	80+	80+	80+
RGB	No	No	No	Yes
Dimmable	Primary Dimming	Primary Dimming	With LumienPRO Remote	e With LumienPRO Remote
Rated Life	50,000 Hrs	50,000 Hrs	50,000 Hrs	50,000 Hrs
Warranty	10 Years	10 Years	10 Years	10 Years
Core Drill Size	-	-	-	-



ACCESSORIES

Accessories - Lens



LAG-005

Accessory, Glass, Mercury Vapor Lens for Deco **Aluminum Series**



LAP-010

Accessory, Plastic, Macro, 15° Optic Lens



LAP-011

Accessory, Plastic, Macro, 40° Optic Lens



LAP-012

Accessory, Plastic, Macro, 60° Optic Lens



LAP-013

Accessory, Plastic, Macro, 80° Optic Lens (Compatible with the Deco Aluminum Series)



LAP-016

Accessory, Plastic, Macro, Asymmetrical Optic Lens (Compatible with the Deco Aluminum & Brass Series)

Additional Mounts - Gutter Mount



LAA-021

Accessory, Stainless Steel -Bronze, Gutter Mount Bracket



LAA-021-BK

Accessory, Stainless Steel -Black, Gutter Mount Bracket

Additional Mounts - Ground



LAS-002

Accessory, Stainless Steel, Trident Stake, 12"



LAS-002-6

Accessory, Stainless Steel, Trident Stake, 6"



LAS-003

Accessory, Stainless Steel, 1/2" Threaded Mini Stake, 6"



LAP-001

Accessory, Plastic, 1/2" Threaded 12" Spike

LUMIEN®

ACCESSORIES



LAP-005

Accessory, Plastic, 1/2" Threaded 15" Commercial Spike



LAP-018

Accessory, Plastic, 1/2" Threaded 8" Spike with Adjustable Collar

Additional Mounts - Surface Mount



LAA-001

Accessory, Aluminum - Bronze, 1/2" Threaded Base



LAA-001-BK

Accessory, Aluminum - Black, 1/2" Threaded Base



LAA-002

Accessory, Aluminum -Bronze, 1/2" Threaded Junction Box



LAA-002-BK

Accessory, Aluminum -Black, 1/2" Threaded Junction Box

Secondary Mounts - Risers



LAA-008

Accessory, Aluminum -Bronze, 1/2" Adjustable 16-25" Riser



LAA-008-BK

Accessory, Aluminum -Black, 1/2" Adjustable 16-25" Riser



LAA-020

Accessory, Aluminum -Bronze, 1/2" Threaded 4" Riser



Accessory, Aluminum -Black, 1/2" Threaded 4" Riser



LAA-005

Accessory, Aluminum -Bronze, 1/2" Threaded 8" Riser



LAA-005-BK

Accessory, Aluminum -Black, 1/2" Threaded 8" Riser



LAA-006

Accessory, Aluminum -Bronze, 1/2" Threaded 16" Riser

LAA-006-BK

Accessory, Aluminum -Black, 1/2" Threaded 16" Riser



LAA-007

Accessory, Aluminum -Bronze, 1/2" Threaded 24" Riser

LAA-007-BK

Accessory, Aluminum -Black, 1/2" Threaded 24" Riser

Secondary Mounts - Riser Accessories



LAA-003

Accessory, Aluminum -Bronze, 1/2" Threaded L-Mount



LAA-003-BK

Accessory, Aluminum -Black, 1/2" Threaded L-Mount



LAA-004

Accessory, Aluminum -Bronze, 1/2" Threaded T-Mount



LAA-004-BK

Accessory, Aluminum -Black, 1/2" Threaded T-Mount

Accessories - Pro Series



LP-REMOTE

LumienPRO Remote (Functionality determined by the Light Fixture)