


## A6B1-8W-30K-A



PROJECT: \_\_\_\_\_

TYPE: \_\_\_\_\_

CAT #: \_\_\_\_\_

### DESCRIPTION

Area, Integrated Modular Variable, Brass  
- Antique, 18" Riser with Module/ADJ  
Beam Spread, 8W, 375 Lm, 3000K, 10-15V

### SPECIFICATIONS

|                  |                    |
|------------------|--------------------|
| Construction     | Brass              |
| Finish           | Antique            |
| Lead Wire        | 6'                 |
| Voltage          | 10-15V             |
| Mounting         | LAP-002 (8" Stake) |
| Light Warranty   | 10 Years           |
| Housing Warranty | Lifetime           |

### FINISHES



Antique

### NOTES

---

---

---

---

---

---

---

#### Lumien Lighting

770-485-9002  
orders@lumienlighting.com  
www.lumienlighting.com

Lumien Lighting reserves the right to modify product specifications without notification. © 2023 Lumien Enterprise Inc.

| MODULE TYPE<br>(required) |   | WATTS                                                              | COLOR<br>TEMP | BEAM<br>SPREAD | FINISH | ACCESSORIES |                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|---------------------------|---|--------------------------------------------------------------------|---------------|----------------|--------|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| A6B1-8W-30K-A             | + | CORE: A6B1 - <div></div> - <div></div> - <div></div> - <div></div> |               |                |        | +           | <b>Accessories - Area Hat (Required)</b><br><b>LAB-038</b> Antiq Brass, Area Hat, 2-Tiered<br><b>LAB-039</b> Antiq Brass, Area Hat, Triangular<br><b>LAB-040</b> Antiq Brass, Area Hat, Flat Top Dome<br><b>LAB-040-BK</b> BK Brass, Area Hat, Flat Top Dome<br><b>LAB-041</b> Antiq Brass, Area Hat, Rounded Top<br><b>LAB-042</b> Antiq Brass, Area Hat, Bollard Style<br><b>LAB-042-BK</b> BK Brass, Area Hat, Bollard Style |
| A6B1-8W-30K-A             | + | PRO: A7B1 - <div></div> - <div></div> - <div></div> - <div></div>  |               |                |        | +           | <b>Additional Mounts - Ground (Optional)</b><br><b>LAS-002</b> Stainless Steel, Trident Stake, 12"<br><b>LAS-002-6</b> Stainless Steel, Trident Stake, 6"<br><b>LAS-003</b> Stainless Steel, 1/2" Threaded Mini Stake,<br><b>LAP-001</b> Plastic, 1/2" Threaded 12" Spike<br><b>LAP-005</b> Plastic, 1/2" Threaded 15" Commercial<br><b>LAP-018</b> Plastic, 1/2" Threaded 8" Spike w/ ADJ                                      |
| A6B1-8W-30K-A             | + | PRO: A9B1 - <div></div> - <div></div> - <div></div> - <div></div>  |               |                |        | +           | <b>Secondary Mounts - Risers (Optional)</b><br><b>LAB-188</b> Antiq Brass, Sub-Grade ADJ Riser, 1-12"<br><b>LAB-058</b> Antiq Brass, 1/2" Threaded 4" Riser<br><b>LAB-051</b> Antiq Brass, 1/2" Threaded 8" Riser<br><b>LAB-052</b> Antiq Brass, 1/2" Threaded 16" Riser<br><b>LAB-053</b> Antiq Brass, 1/2" Threaded 24" Riser<br><b>Accessories - Pro Series (Optional)</b><br><b>LP-REMOTE</b> LumienPRO Remote              |

## CORE

## CORE

## PRO

## PRO

|                            | <b>A6B1-4W-27K-A</b><br><b>A6B1-4W-30K-A</b> | <b>A6B1-8W-27K-A</b><br><b>A6B1-8W-30K-A</b> | <b>A7B1-7W-A</b>      | <b>A9B1-7W-A</b><br><b>A9B1-7W-BK</b> |
|----------------------------|----------------------------------------------|----------------------------------------------|-----------------------|---------------------------------------|
| <b>Construction</b>        | Brass                                        | Brass                                        | Brass                 | Brass                                 |
| <b>Finish</b>              | Antique                                      | Antique                                      | Antique               | Antique, Black                        |
| <b>Input Voltage</b>       | 10-15V                                       | 10-15V                                       | 10-15V                | 10-15V                                |
| <b>Wattage (Volt Amps)</b> | 4W (5.58)                                    | 8W (11.9)                                    | 7W (10.08)            | 7W (10.13)                            |
| <b>Module Lumens</b>       | 192 Lm, 218 Lm                               | 362 Lm, 375 Lm                               | 235-287 Lm            | 27K-57K: 189-222 Lm, R:               |
| <b>Color Temperature</b>   | 2700K, 3000K                                 | 2700K, 3000K                                 | 2700-5700K            | 2700-5700K                            |
| <b>Beam Spread</b>         | 50-110°                                      | 50-110°                                      | 50-110°               | 50-110°                               |
| <b>Lead Wire Length</b>    | 6'                                           | 6'                                           | 6'                    | 6'                                    |
| <b>CRI</b>                 | 80+                                          | 80+                                          | 80+                   | 80+                                   |
| <b>RGB</b>                 | No                                           | No                                           | No                    | Yes                                   |
| <b>Dimmable</b>            | No                                           | No                                           | With LumienPRO Remote | With LumienPRO Remote                 |
| <b>Rated Life</b>          | 50,000 Hrs                                   | 50,000 Hrs                                   | 50,000 Hrs            | 50,000 Hrs                            |
| <b>Warranty</b>            | 10 Years                                     | 10 Years                                     | 10 Years              | 10 Years                              |
| <b>Core Drill Size</b>     | -                                            | -                                            | -                     | -                                     |

**Accessories - Area Hat**



**LAB-038**

Accessory, Brass - Antique,  
Standard, Area Light Hat,  
2-Tiered



**LAB-039**

Accessory, Brass - Antique,  
Standard, Area Light Hat,  
Triangular



**LAB-040**

Accessory, Brass - Antique,  
Standard, Area Light Hat,  
Flat Top Dome

**LAB-040-BK**

Accessory, Brass - Black,  
Standard, Area Light Hat,  
Flat Top Dome



**LAB-041**

Accessory, Brass - Antique,  
Standard, Area Light Hat,  
Rounded Top



**LAB-042**

Accessory, Brass - Antique,  
Standard Area Light Hat,  
Bollard Style

**LAB-042-BK**

Accessory, Brass - Black,  
Standard, Area Light Hat,  
Bollard Style

**Additional Mounts - Ground**



**LAS-002**

Accessory, Stainless Steel,  
Trident Stake, 12"



**LAS-002-6**

Accessory, Stainless Steel,  
Trident Stake, 6"



**LAS-003**

Accessory, Stainless Steel,  
1/2" Threaded Mini Stake, 6"



**LAP-001**

Accessory, Plastic, 1/2"  
Threaded 12" Spike



**LAP-005**

Accessory, Plastic, 1/2"  
Threaded 15" Commercial  
Spike

**LAP-018**

Accessory, Plastic, 1/2"  
Threaded 8" Spike with  
Adjustable Collar

**Secondary Mounts - Risers**

**LAB-188**

Accessory, Brass - Antique,  
Sub-Grade Adjustable  
Riser, 1-12"

**LAB-058**

Accessory, Brass - Antique,  
1/2" Threaded 4" Riser

**LAB-051**

Accessory, Brass - Antique,  
1/2" Threaded 8" Riser

**LAB-052**

Accessory, Brass - Antique,  
1/2" Threaded 16" Riser

**LAB-053**

Accessory, Brass - Antique,  
1/2" Threaded 24" Riser

**Accessories - Pro Series**



**LP-REMOTE**

LumienPRO Remote  
(Functionality determined  
by the Light Fixture)