


W3B1-3.5W-30K-A



PROJECT: _____

TYPE: _____

CAT #: _____

DESCRIPTION

Wall, Integrated Non-Modular, Brass - Antique, Recessed Hooded, 3.5W, 130 Lm, 3000K, 10-15V

SPECIFICATIONS

Construction	Brass
Finish	Antique
Lead Wire	6'
Voltage	10-15V
Light Warranty	10 Years
Housing Warranty	Lifetime

FINISHES



Antique

NOTES

Lumien Lighting

770-485-9002
orders@lumienlighting.com
www.lumienlighting.com

Lumien Lighting reserves the right to modify product specifications without notification. © 2023 Lumien Enterprise Inc.



ORDERING GUIDE

MODULE TYPE (required)	WATTS	COLOR TEMP	BEAM SPREAD	FINISH	ACCESSORIES
---------------------------	-------	---------------	----------------	--------	-------------

W3B1-3.5W-30K-A



CORE: W3B1

-

-

-

-

3.5W

2700K
3000K

75°

A



- Additional Mounts - Recessed (Optional)**
LAB-017 Stainless Steel, Micro, Soffit Bracket
- Additional Mounts - Ground (Optional)**
LAP-008 Plastic, PVC for Micro Modules



MODULES

CORE

W3B1-3.5W-27K-A
W3B1-3.5W-30K-A

Construction	Brass
Finish	Antique
Input Voltage	10-15V
Wattage (Volt Amps)	3.5W (2.88)
Module Lumens	120 Lm, 130 Lm
Color Temperature	2700K, 3000K
Beam Spread	75°
Lead Wire Length	6'
CRI	80+
RGB	No
Dimmable	Primary Dimming
Rated Life	50,000 Hrs
Warranty	10 Years
Core Drill Size	-

Additional Mounts - Recessed**LAB-017**

Accessory, Stainless Steel,
Micro, Soffit Bracket

Additional Mounts - Ground**LAP-008**

Accessory, Plastic, PVC for
Micro Modules