


LAB-205



PROJECT: _____

TYPE: _____

CAT #: _____

DESCRIPTION

Accessory, Brass - Antique, Micro, Recessed, Circular, Halo

SPECIFICATIONS

Construction	Brass
Finish	Antique
Light Warranty	Lifetime

FINISHES



NOTES

Lumien Lighting

770-485-9002
 orders@lumienlighting.com
 www.lumienlighting.com

Lumien Lighting reserves the right to modify product specifications without notification. © 2023 Lumien Enterprise Inc.

MODULE TYPE (required)	WATTS	COLOR TEMP	BEAM SPREAD	FINISH	ACCESSORIES
---------------------------	-------	---------------	----------------	--------	-------------

LAB-205



CORE: M4B1

- - - -
 3.5W 2700K 40° Aluminum
 5.5W 3000K 60°



Mounts - Ground (Optional)

LAP-008 Plastic, PVC for Micro Modules

Mounts - Recessed (Optional)

LAB-017 Stainless Steel, Micro, Soffit Bracket

Accessories - Lens (Optional)

LAB-016 BK Aluminum, Banded Hex Louver for

Accessories - Pro Series (Optional)

LP-REMOTE LumienPRO Remote

LAB-205



PRO: M7B1

- - - -
 4.5W 2700-5700K 40° Aluminum
 60°



LAB-205



PRO: M8B1

- - - -
 3W 2700K 40° Aluminum
 3000K Glass



	CORE	CORE	PRO	PRO
	M4B1-3.5W-27K-40-A M4B1-3.5W-27K-60-A M4B1-3.5W-30K-40-A M4B1-3.5W-30K-60-A	M4B1-5.5W-27K-40-A M4B1-5.5W-27K-60-A M4B1-5.5W-30K-40-A M4B1-5.5W-30K-60-A	M7B1-4.5W-40-A M7B1-4.5W-60-A	M8B1-3W-27K-40-A M8B1-3W-27K-40-BK M8B1-3W-30K-40-A M8B1-3W-30K-40-BK
Construction	Brass	Brass	Brass	Brass
Finish	Aluminum	Aluminum	Aluminum	Aluminum, Glass
Input Voltage	10-15V	10-15V	10-15V	10-15V
Wattage (Volt Amps)	3.5W (5.59)	5.5W (8.66)	4.5W (6.12)	3W (4.83)
Module Lumens	316 Lm, 318 Lm, 327 Lm,	428 Lm, 420 Lm, 472 Lm,	317-352 Lm, 283-316 Lm	27K: 129 Lm, R: 57 Lm, G:
Color Temperature	2700K, 3000K	2700K, 3000K	2700-5700K	2700K, 3000K
Beam Spread	40°, 60°	40°, 60°	40°, 60°	40°
Lead Wire Length	6'	6'	6'	6'
CRI	80+	80+	80+	80+
RGB	No	No	No	Yes
Dimmable	Primary Dimming	Primary Dimming	Primary Dimming	Primary Dimming
Rated Life	50,000 Hrs	50,000 Hrs	50,000 Hrs	50,000 Hrs
Warranty	10 Years	10 Years	10 Years	10 Years
Core Drill Size	-	-	-	-

Mounts - Ground**LAP-008**

Accessory, Plastic, PVC for
Micro Modules

Mounts - Recessed**LAB-017**

Accessory, Stainless Steel,
Micro, Soffit Bracket

Accessories - Lens**LAB-016**

Accessory, Aluminum -
Black, Banded Hex Louver
for Recessed Micro Fixtures

Accessories - Pro Series**LP-REMOTE**

LumienPRO Remote
(Functionality determined
by the Light Fixture)