




Together, we are brighter.

LAB-070-BK



PROJECT: _____

TYPE: _____

CAT #: _____


DESCRIPTION

Accessory, Brass - Black, Micro, 57°/67° Flood Package

SPECIFICATIONS

Construction	Brass
Finish	Black
Lead Wire	6'
Voltage	10-15V
Mounting	LAP-002 (8" Stake)
Light Warranty	Lifetime

FINISHES



Black

NOTES

Lumien Lighting

770-485-9002
orders@lumienlighting.com
www.lumienlighting.com

Lumien Lighting reserves the right to modify product specifications without notification. © 2023 Lumien Enterprise Inc.

MODULE TYPE (required)	WATTS	COLOR TEMP	BEAM SPREAD	FINISH	ACCESSORIES
---------------------------	-------	---------------	----------------	--------	-------------

LAB-070-BK



CORE: M4B1

- - - -

3.5W 2700K 40° A

5.5W 3000K 60°



Accessories - Pro Series (Optional)

LP-REMOTE LumienPRO Remote

Additional Mounts - Ground (Optional)

LAP-001 Plastic, 1/2" Threaded 12" Spike

LAP-015 Plastic, Micro, Asymmetrical Optic Lens

LAS-002 Stainless Steel, Trident Stake, 12"

LAS-002-6 Stainless Steel, Trident Stake, 6"

LAS-003 Stainless Steel, 1/2" Threaded Mini Stake,

LAB-070-BK



PRO: M7B1

- - - -

4.5W 2700-5700K 40° A

60° BK



LAB-070-BK



PRO: M8B1

- - - -

3W 2700K 40° A

3000K BK



	CORE	CORE	PRO	PRO
	M4B1-3.5W-27K-40-A M4B1-3.5W-27K-60-A M4B1-3.5W-30K-40-A M4B1-3.5W-30K-60-A	M4B1-5.5W-27K-40-A M4B1-5.5W-27K-60-A M4B1-5.5W-30K-40-A M4B1-5.5W-30K-60-A	M7B1-4.5W-40-BK M7B1-4.5W-60-A	M8B1-3W-27K-40-A M8B1-3W-27K-40-BK M8B1-3W-30K-40-A M8B1-3W-30K-40-BK
Construction	Brass	Brass	Brass	Brass
Finish	Antique	Antique	Black, Antique	Antique, Black
Input Voltage	10-15V	10-15V	10-15V	10-15V
Wattage (Volt Amps)	3.5W (5.59)	5.5W (8.66)	4.5W (6.12)	3W (4.83)
Module Lumens	316 Lm, 318 Lm, 327 Lm,	428 Lm, 420 Lm, 472 Lm,	317-352 Lm, 283-316 Lm	27K: 129 Lm, R: 57 Lm, G:
Color Temperature	2700K, 3000K	2700K, 3000K	2700-5700K	2700K, 3000K
Beam Spread	40°, 60°	60°, 40°	40°, 60°	40°
Lead Wire Length	6'	6'	6'	6'
CRI	80+	80+	80+	80+
RGB	No	No	No	Yes
Dimmable	Primary Dimming	Primary Dimming	With LumienPRO Remote	With LumienPRO Remote
Rated Life	50,000 Hrs	50,000 Hrs	50,000 Hrs	50,000 Hrs
Warranty	10 Years	10 Years	10 Years	10 Years
Core Drill Size	-	-	-	-

Accessories - Pro Series



LP-REMOTE


LumienPRO Remote
(Functionality determined
by the Light Fixture)

Additional Mounts - Ground



LAP-001

Accessory, Plastic, 1/2"
Threaded 12" Spike



LAP-015

Accessory, Plastic, Micro,
Asymmetrical Optic Lens



LAS-002

Accessory, Stainless Steel,
Trident Stake, 12"



LAS-002-6

Accessory, Stainless Steel,
Trident Stake, 6"



LAS-003

Accessory, Stainless Steel,
1/2" Threaded Mini Stake, 6"