


## D5A1-15W-30K-BK



PROJECT: \_\_\_\_\_

TYPE: \_\_\_\_\_

CAT #: \_\_\_\_\_


### DESCRIPTION

**Directional, Integrated Variable - Standard Dimming, Aluminum - Black, Deco Aluminum Series Uplight (Includes 40° Optic & Hex Louver), 15W, 1200 Lm, 3000K, 10-15V**

### SPECIFICATIONS

<b>Construction</b>	Aluminum
<b>Finish</b>	Black
<b>Lead Wire</b>	6'
<b>Voltage</b>	10-15V
<b>Mounting</b>	LAP-002 (8" Stake)
<b>Light Warranty</b>	10 Years
<b>Housing Warranty</b>	10 Years

### FINISHES



Black

### NOTES

---

---

---

---

---

---

---

#### Lumien Lighting

770-485-9002  
orders@lumienlighting.com  
www.lumienlighting.com

Lumien Lighting reserves the right to modify product specifications without notification. © 2023 Lumien Enterprise Inc.

	MODULE TYPE (required)	WATTS	COLOR TEMP	BEAM SPREAD	FINISH	ACCESSORIES
D5A1-15W-30K-BK	CORE: D5A1	- <input type="text"/> - 15W 8W	- <input type="text"/> - 2700K 3000K	- <input type="text"/> - 40°	- <input type="text"/> - BK BZ	<b>Accessories - Included Lens (Optional)</b> <b>LAA-022</b> BK Aluminum, Banded Hex Louver <b>LAP-011</b> Plastic, Macro, 40° Optic Lens <b>Accessories - Lens (Optional)</b> <b>LAG-005</b> Glass, Mercury Vapor Lens for Deco <b>LAP-010</b> Plastic, Macro, 15° Optic Lens <b>LAP-012</b> Plastic, Macro, 60° Optic Lens <b>LAP-013</b> Plastic, Macro/Deco, 80° Optic Lens <b>LAP-016</b> Plastic, Macro/Deco, Asymmetrical <b>Additional Mounts - Gutter Mount (Optional)</b> <b>LAA-021</b> BZ Stainless Steel, Gutter Mount Bracket <b>LAA-021-BK</b> BK Stainless Steel, Gutter Mount Bracket <b>Additional Mounts - Ground (Optional)</b> <b>LAS-002</b> Stainless Steel, Trident Stake, 12" <b>LAS-002-6</b> Stainless Steel, Trident Stake, 6" <b>LAS-003</b> Stainless Steel, 1/2" Threaded Mini Stake, <b>LAP-001</b> Plastic, 1/2" Threaded 12" Spike <b>LAP-005</b> Plastic, 1/2" Threaded 15" Commercial <b>LAP-018</b> Plastic, 1/2" Threaded 8" Spike w/ ADJ <b>Additional Mounts - Surface Mount (Optional)</b> <b>LAA-001</b> BZ Aluminum, 1/2" Threaded Base <b>LAA-001-BK</b> BK Aluminum, 1/2" Threaded Base <b>LAA-002</b> BZ Aluminum, 1/2" Threaded J-Box <b>LAA-002-BK</b> BK Aluminum, 1/2" Threaded J-Box <b>Secondary Mounts - Risers (Optional)</b> <b>LAA-008</b> BZ Aluminum, 1/2" ADJ 16-25" Riser <b>LAA-008-BK</b> BK Aluminum, 1/2" ADJ 16-25" Riser <b>LAA-020</b> BZ Aluminum, 1/2" Threaded 4" Riser <b>LAA-020-BK</b> BK Aluminum, 1/2" Threaded 4" Riser <b>LAA-005</b> BZ Aluminum, 1/2" Threaded 8" Riser <b>LAA-005-BK</b> BK Aluminum, 1/2" Threaded 8" Riser <b>LAA-006</b> BZ Aluminum, 1/2" Threaded 16" Riser <b>LAA-006-BK</b> BK Aluminum, 1/2" Threaded 16" Riser <b>LAA-007</b> BZ Aluminum, 1/2" Threaded 24" Riser <b>LAA-007-BK</b> BK ALuminum, 1/2" Threaded 24" Riser <b>Secondary Mounts - Riser Accessories (Optional)</b> <b>LAA-003</b> BZ Aluminum, 1/2" Threaded L-Mount <b>LAA-003-BK</b> BK Aluminum, 1/2" Threaded L-Mount <b>LAA-004</b> BZ Aluminum, 1/2" Threaded T-Mount <b>LAA-004-BK</b> BK Aluminum, 1/2" Threaded T-Mount <b>Accessories - Pro Series (Optional)</b> <b>LP-REMOTE</b> LumienPRO Remote
D5A1-15W-30K-BK	PRO: D7A1	- <input type="text"/> - 12W	- <input type="text"/> - 2700-5700K	- <input type="text"/> - 40°	- <input type="text"/> - BK BZ	
D5A1-15W-30K-BK	PRO: D9A1	- <input type="text"/> - 12W	- <input type="text"/> - 2700-5700K	- <input type="text"/> - 40°	- <input type="text"/> - BK BZ	

	CORE	CORE	PRO	PRO
	D5A1-8W-27K-BK D5A1-8W-27K-BZ D5A1-8W-30K-BK D5A1-8W-30K-BZ	D5A1-15W-27K-BK D5A1-15W-27K-BZ D5A1-15W-30K-BK D5A1-15W-30K-BZ	D7A1-12W-BK D7A1-12W-BZ	D9A1-12W-BK D9A1-12W-BZ
Construction	Aluminum	Aluminum	Aluminum	Aluminum
Finish	Black, Bronze	Bronze, Black	Black, Bronze	Black, Bronze
Input Voltage	10-15V	10-15V	10-15V	10-15V
Wattage (Volt Amps)	8W (8.79)	15W (15.12)	12W (17.18)	12W (17.28)
Module Lumens	640 Lm	1100 Lm, 1200 Lm	709-830 Lm	27K-57K: 470-610 Lm, R:
Color Temperature	2700K, 3000K	2700K, 3000K	2700-5700K	2700-5700K
Beam Spread	40°	40°	40°	40°
Lead Wire Length	6'	6'	6'	6'
CRI	80+	80+	80+	80+
RGB	No	No	No	Yes
Dimmable	Primary Dimming	Primary Dimming	With LumienPRO Remote	With LumienPRO Remote
Rated Life	50,000 Hrs	50,000 Hrs	50,000 Hrs	50,000 Hrs
Warranty	10 Years	10 Years	10 Years	10 Years
Core Drill Size	-	-	-	-

## Accessories - Included Lens



### LAA-022

Accessory, Aluminum -  
Black, Banded Hex Louver  
(Compatible with Deco  
Aluminum & Brass Series)



### LAP-011

Accessory, Plastic, Macro,  
40° Optic Lens

## Accessories - Lens



### LAG-005

Accessory, Glass, Mercury  
Vapor Lens for Deco  
Aluminum Series



### LAP-010

Accessory, Plastic, Macro,  
15° Optic Lens




### LAP-012

Accessory, Plastic, Macro,  
60° Optic Lens



### LAP-013


Accessory, Plastic, Macro,  
80° Optic Lens (Compatible  
with the Deco Aluminum  
Series)



### LAP-016

Accessory, Plastic, Macro,  
Asymmetrical Optic Lens  
(Compatible with the Deco  
Aluminum & Brass Series)

## Additional Mounts - Gutter Mount



### LAA-021

Accessory, Stainless Steel -  
Bronze, Gutter Mount  
Bracket

### LAA-021-BK

Accessory, Stainless Steel -  
Black, Gutter Mount  
Bracket

## Additional Mounts - Ground



**LAS-002**

Accessory, Stainless Steel,  
Trident Stake, 12"



**LAS-002-6**

Accessory, Stainless Steel,  
Trident Stake, 6"



**LAS-003**

Accessory, Stainless Steel,  
1/2" Threaded Mini Stake, 6"



**LAP-001**

Accessory, Plastic, 1/2"  
Threaded 12" Spike



**LAP-005**

Accessory, Plastic, 1/2"  
Threaded 15" Commercial  
Spike



**LAP-018**

Accessory, Plastic, 1/2"  
Threaded 8" Spike with  
Adjustable Collar

## Additional Mounts - Surface Mount



**LAA-001**

Accessory, Aluminum -  
Bronze, 1/2" Threaded Base



**LAA-001-BK**

Accessory, Aluminum -  
Black, 1/2" Threaded Base



**LAA-002**

Accessory, Aluminum -  
Bronze, 1/2" Threaded  
Junction Box



**LAA-002-BK**

Accessory, Aluminum -  
Black, 1/2" Threaded  
Junction Box

## Secondary Mounts - Risers



**LAA-008**

Accessory, Aluminum -  
Bronze, 1/2" Adjustable  
16-25" Riser




**LAA-008-BK**

Accessory, Aluminum -  
Black, 1/2" Adjustable  
16-25" Riser



**LAA-020**

Accessory, Aluminum -  
Bronze, 1/2" Threaded 4"  
Riser



**LAA-020-BK**

Accessory, Aluminum -  
Black, 1/2" Threaded 4"  
Riser



## LAA-005

Accessory, Aluminum -  
Bronze, 1/2" Threaded 8"  
Riser



## LAA-005-BK

Accessory, Aluminum -  
Black, 1/2" Threaded 8"  
Riser




## LAA-006

Accessory, Aluminum -  
Bronze, 1/2" Threaded 16"  
Riser

## LAA-006-BK

Accessory, Aluminum -  
Black, 1/2" Threaded 16"  
Riser



## LAA-007

Accessory, Aluminum -  
Bronze, 1/2" Threaded 24"  
Riser

## LAA-007-BK

Accessory, Aluminum -  
Black, 1/2" Threaded 24"  
Riser

## Secondary Mounts - Riser Accessories



## LAA-003

Accessory, Aluminum -  
Bronze, 1/2" Threaded  
L-Mount



## LAA-003-BK

Accessory, Aluminum -  
Black, 1/2" Threaded  
L-Mount



## LAA-004

Accessory, Aluminum -  
Bronze, 1/2" Threaded  
T-Mount



## LAA-004-BK

Accessory, Aluminum -  
Black, 1/2" Threaded  
T-Mount

## Accessories - Pro Series



## LP-REMOTE

LumienPRO Remote  
(Functionality determined  
by the Light Fixture)