

PROJECT: \_\_\_\_\_

TYPE: \_\_\_\_\_

CAT #: \_\_\_\_\_


## DESCRIPTION

**Accessory, Aluminum – Black, Standard, Area Light Hat, Bubble**

## SPECIFICATIONS

<b>Construction</b>	Aluminum
<b>Finish</b>	Black

## FINISHES

	Black
--	-------

## NOTES

---

---

---


---

---

---

---

---



### Lumien Lighting

☎ 770-485-9002  
✉ orders@lumienlighting.com  
🌐 www.lumienlighting.com

Lumien Lighting reserves the right to modify product specifications without notification. © 2023 Lumien Enterprise Inc.

MODULE TYPE (required)	WATTS	COLOR TEMP	BEAM SPREAD	FINISH	ACCESSORIES
---------------------------	-------	---------------	----------------	--------	-------------

LAA-037-BK

+

CORE: A6A1

-  -  -  -

4W

2700K  
3000K

BK  
BZ

+

LAA-037-BK

+

PRO: A9A1

-  -  -  -

7W

2700-5700K

BK  
BZ

+

**CORE**
**A6A1-4W-27K-BK**
**A6A1-4W-27K-BZ**
**A6A1-4W-30K-BK**
**A6A1-4W-30K-BZ**
**PRO**
**A9A1-7W-BK**
**A9A1-7W-BZ**

	CORE	PRO
<b>Construction</b>	Aluminum	Aluminum
<b>Finish</b>	Black, Bronze	Black, Bronze
<b>Input Voltage</b>	10-15V	10-15V
<b>Wattage (Volt Amps)</b>	4W (5.58)	7W (10.13)
<b>Module Lumens</b>	192 Lm, 218 Lm	27K-57K: 189-222 Lm, R:
<b>Color Temperature</b>	2700K, 3000K	2700-5700K
<b>Beam Spread</b>		
<b>Lead Wire Length</b>	6'	6'
<b>CRI</b>	80+	80+
<b>RGB</b>	No	Yes
<b>Dimmable</b>		With LP-REMOTE
<b>Rated Life</b>	50,000 Hrs	50,000 Hrs
<b>Warranty</b>	10 Years	10 Years
<b>Core Drill Size</b>	-	-